The Journal of **THORACIC AND CARDIOVASCULAR SURGERY**

Official organ, The American Association for Thoracic Surgery and The Western Thoracic Surgical Association

Editor DWIGHT C. McGOON, *Rochester, Minn.*

Associate editors
PHILIP E. BERNATZ, *Rochester, Minn.*
MICHAEL P. KAYE, *Rochester, Minn.*

Advisory editorial board
W. GERALD AUSTEN, *Boston*
ALDO R. CASTANEDA, *Boston*
JOEL D. COOPER, *Toronto*
JAMES L. COX, *St. Louis*
DONALD B. DOTY, *Salt Lake City*
PAUL A. EBERT, *San Francisco*
L. HENRY EDMUNDS, *Philadelphia*
RICHARD M. ENGELMAN, *Springfield, Mass.*
L. PENFIELD FABER, *Chicago*
VINCENT L. GOTT, *Baltimore*
CLAUDE M. GRONDIN, *Montreal*
E. CARMACK HOLMES, *Los Angeles*
ELLIS L. JONES, *Atlanta*
ROBERT H. JONES, *Durham, N. C.*
FLOYD D. LOOP, *Cleveland*
NAEL MARTINI, *New York*
D. CRAIG MILLER, *Stanford*
NOEL L. MILLS, *New Orleans*
VICTOR PARSONNET, *Newark*
WILLIAM S. PIERCE, *Hershey, Pa.*
BRUCE A. REITZ, *Baltimore*
DAVID C. SABISTON, JR., *Durham, N. C.*
J. GORDON SCANNELL, *Boston*
GEORGE A. TRUSLER, *Toronto*
JOE R. UTLEY, *Spartanburg, S. C.*
JOHN A. WALDHAUSEN, *Hershey, Pa.*

Editorial coordinator JULIANNE O. ROOKE, *Rochester, Minn.*

Senior manuscript editor LOIS R. LINDLEY, *St. Louis*

Former Editors
EVARTS A. GRAHAM, *Editor, 1931-1957*
EMILE HOLMAN, *Editor, 1957-1962*
BRIAN BLADES, *Editor, 1962-1977*

Volume 90, July-December, 1985
The C. V. Mosby Company
St. Louis, Mo.

Volume 90
Copyright © 1985 by The C. V. Mosby Company
All rights reserved
Printed in the United States of America

Author index*

A

Adachi H, 802
Addis B, 306 (BC)
Aizawa K, 420
Akins CW, 272
Alaoui A, 153 (L)
Alberti KGMM, 97
Alford WC Jr, 502
Allen P, 729
Allred EN, 872
Amato JJ, 530 (D), 935 (L)
Amemiya R, 631 (L)
Ammar R, 145 (BC)
Andersen K, 570
Anderson RH, 297, 605, 611, 690
Anderson RP, 359 (D), 817 (D)
Aoshima M, 399
Appelbaum A, 281
Appelbaum Y, 281
Applebaum RE, 404
Arén C, 73
Arensman FW, 597
Armentano RL, 580
Armstrong BE, 391
Arnold PG, 13, 367
Artiñano E, 278
Artiz V, 741
Ashraf H, 864, 871 (D)
Attar SMA, 366 (D)
Aubert AE, 888
Austen WG, 272
Austin JC, 872

B

Badr G, 73
Baillot-Vernant F, 443 (BC)
Bains MS, 371 (D), 639
Baird RJ, 523
Baldwin JC, 623 (BC), 813, 817 (D)
Ballerini L, 706
Bardy GH, 212
Bargeron LM Jr, 711
Barner HB, 668, 675 (D)
Barratt-Boyes BG, 901
Bass JL, 35
Battaglini JW, 452 (L)
Baudet EM, 137
Baumann FG, 80
Bayliss CE, 936 (L)
Beati CA, 167
Beatty D, 789 (BC)
Beder SD, 146 (BC)
Behar VS, 818
Belli L, 167
Bender HW Jr, 291
Benfield JR, 359 (D), 660 (D)
Ben-Shachar G, 146 (BC)
Bernard M, 235
Bernatz PE, 842
Berne RM, 549
Bernhard A, 597
Bertelsen S, 21
Berzsenyi G, 765
Besansón Delbo MI, 580
Best L-A, 783
Bex JP, 151 (L)
Bianco RW, 126
Bical O, 443 (BC)
Billingham ME, 623 (BC)
Bills R, 833
Bizuneh M, 833
Blackman MS, 50
Blackstone EH, 711
Bødker A, 570
Boeheim C, 261
Boerboom LE, 756
Bolman RM III, 309 (L)
Bomfim V, 896
Bonchek LI, 348 (D), 756, 795 (L)
Borgeskov S, 21
Borgwardt B, 126
Borman JB, 281
Borst HG, 477, 505 (D)
Bortolotti U, 29, 564
Botham MJ, 849
Boucek RJ Jr, 291
Bouloux P, 729
Bourassa MG, 265
Bove EL, 50, 750
Boyle RM, 373
Braimbridge M, 853 (D)
Brawn WJ, 45
Breyer RH, 515 (D), 532, 540 (D), 736
Brynitz S, 21
Bredikis A, 199, 206
Bredikis J, 61, 199, 206
Brown JW, 833, 841 (D)
Buckley MJ, 272
Bukauskas F, 206
Burgess N, 112
Burke CM, 623 (BC)
Burrus GR, 502
Butz RO, 632 (L)
Byrum CJ, 50

C

Cabrera Fischer EI, 580
Cain ME, 490
Campalani G, 928 (BC)
Canioni P, 235
Caravelli J, 639
Carpentier AF, 347 (D), 705 (D), 880 (D)
Carvalho MR, 445 (BC)
Caspi Y, 145 (BC)
Catinella FP, 452 (L)
Cavarocchi NC, 312 (L)
Ceithaml EL, 842
Chartrand C, 926 (BC)
Cheung EH, 517
Chiang HS, 771
Chiu I-S, 297
Chiu RC-J, 656
Christakis GT, 243
Christie GW, 901
Christlieb IY, 225
Clack RM, 126
Clark DL, 287
Clark RE, 225, 404
Cobanoglu A, 310 (L), 540 (D), 870 (D)
Cogordan J, 126
Cohen D, 281
Cohn LA, 872
Cohn LH, 301 (BC), 311 (L), 872, 880 (D)
Coles JG, 791 (BC)
Collins JC, 291
Collins JJ Jr, 301 (BC), 872
Collins RH, 430
Collot MA, 137
Colvin SB, 80, 341
Connolly JE, 514 (D)
Connors JP, 56
Cooley DA, 349 (D), 530 (D), 676, 681
Cordell AR, 921
Corno A, 706
Cosgrove DM, 348 (D)
Costa RK, 445 (BC)
Cotroneo J, 864
Cox JL, 212, 490, 500 (D), 689 (D)
Cozzone P, 235
Craver JM, 349 (D), 517, 529 (D)
Crepeau A, 789 (BC)
Crute SL, 68
Culliford AT, 341
Cunningham JN Jr, 80, 452 (L)
Czer L, 632 (L)

D

Daggett WM, 272
Daily PO, 912
Damiano RJ Jr, 212
Danielson GK, 414, 441 (BC), 506, 662, 700
Darius H, 378
David PR, 265
Davignon A, 926 (BC)
De Geest H, 888
de Leval M, 297
DelRossi AJ, 794 (L)
Dembitsky WP, 912
Denys BG, 888
Derom F, 765
De Roose J, 765
Dhar N, 864
DiMarco JP, 586
DiSesa VJ, 301 (BC), 872
Donaldson DR, 373
Donnelly RJ, 195
Downing TP, 441 (BC)
Duncan JM, 676
Duran CG, 278, 348 (D)

*July, pp. 1-160; August, pp. 161-320; September, pp. 321-476; October, pp. 477-638; November, pp. 639-800; December, pp. 801-962. *Key:* In this index, (BC) = brief communications, (C) = commentary, (D) = discussion, and (L) = letter to the Editor.

E

Ector H, 888
Edmunds LH Jr, 1
Eich RH, 750
Eidbo EE, 557
Einzig S, 126
Elliott MJ, 97
Ely SW, 549
Engelman RM, 532, 736
Ergin MA, 303 (BC)
Errett LE, 656, 660 (D)

F

Faber LP, 847 (D)
Faggian G, 29
Favaloro RG, 539 (D), 580
Feddersen K, 73
Fedor JM, 212, 818
Fell SC, 172
Fermont L, 443 (BC)
Ferrans VJ, 557, 756
Filho EF, 445 (BC)
Fiore AC, 833
Firmin RK, 729, 928 (BC)
Fiser WP Jr, 312 (L)
Fleming AW, 771
Fleming WH, 907
Flemma RJ, 675 (D)
Foker JE, 35
Fontanarava E, 235
Ford WB, 776
Fournier A, 926 (BC)
Fraile J, 741
Francois K, 765
Frater RWM, 154 (L), 349 (D), 811 (D)
Frazier OH, 676
Freedom RM, 791 (BC)
Fremes SE, 243, 633 (L)
French JH Jr, 361
Friehs GB, 25
Fry WA, 515 (D), 648 (D)
Fuhrman BP, 35
Fujii Y, 7
Fujimura S, 161
Fukuda Y, 631 (L)
Fuster V, 112

G

Gaitini D, 783
Galla JD, 303 (BC)
Gallagher JD, 287
Gallagher JJ, 212, 490
Gallo I, 278
Gallucci V, 29, 564
Garcia-Satue E, 278
Gardner TJ, 361
Garson A, 681
Gavin JB, 901
German LD, 212
Ghidoni IM, 137
Gingell R, 864
Ginsberg BH, 86
Gjedde A, 570
Glassford DM Jr, 502
Glovsky M, 91
Godwin JD, 251
Gold JP, 301 (BC)
Golding LAR, 626 (BC)
Goldman BS, 523
Goldman ME, 112
Goldsmith J, 172
Goldstraw P, 306 (BC)
Goor DA, 788 (BC)
Gott VL, 136 (C)
Graham JE, 921
Grantham RN, 148 (BC)
Gravlee GP, 921
Gray RJ, 632 (L)
Greenfield LJ, 68
Griepp RB, 303 (BC)
Grillo HC, 816 (D)
Grossi EA, 80
Grousset C, 235
Guérin R, 926 (BC)
Guerra F, 564
Gugliantini P, 706
Gunay II, 756
Guyton RA, 517, 530 (D)

H

Haasler GB, 430
Haendschen LC, 91
Hafez AS, 137
Halpin MP, 833
Hammon JW Jr, 291
Handa M, 161
Hansen AJ, 570
Hargrove WC, 499 (D)
Harken DE, 794 (L)
Harkey MR, 148 (BC)
Harlan JL, 387
Harley DP, 771
Hatcher CR Jr, 517
Hayata Y, 420, 631 (L)
Hébert Y, 265
Heelan R, 639
Hegerty A, 297
Hehrlein F, 882
Heintzen P, 597
Hendry P, 789 (BC)
Hess ML, 68
Heydorn WH, 912
Hilgenberg AD, 272
Hill JD, 448
Hino ST, 771
Hirose H, 856
Hochberg MS, 539 (D)
Hoefler H, 25
Hofschire, PJ, 907
Hogg JC, 91
Holden MP, 97
Hood MR, 854 (D)
Hopkins RA, 391
Horneffer PJ, 361, 366 (D)
Horno Gonzalez R, 309 (L)
H-Sievers H, 597
Huddleston CB, 291
Hudspeth AS, 921
Hussain SA, 795 (L)
Husum B, 570
Hutchins GM, 361

I

Iglehart JD, 351, 360 (D)
Iioka S, 179
Imai T, 161
Isom OW, 341
Iuchi K, 179
Ivanov J, 243
Ivey TD, 592

J

Jamieson SW, 623 (BC)
Jansson E, 896
Jatene AD, 498 (D), 674 (D), 699 (D)
Jonas H, 281
Jones EL, 517
Jones M, 404, 557
Jones RH, 251
Juettner FM, 25
Julsrud PR, 441 (BC)

K

Kagotani K, 7
Kaijser L, 896
Kamholz SL, 172
Kanter KR, 690, 699 (D)
Kato H, 420
Kavey R-EW, 50
Kawashima Y, 7, 179, 856, 863 (D)
Kawate N, 420
Kemp SR, 119
Kerns D, 287
Kesteloot H, 888
Kingsley BP, 287
Kirklin JK, 711
Kirklin JW, 711
Kissebah AH, 756
Kisslo JA, 212
Kitamura S, 7
Kitano M, 399
Kito T, 420
Kleiger RE, 56
Kobayashi J, 856
Konaka C, 420
Kondo T, 161
Kopolovic J, 281
Kovarik JL, 371 (D)
Kram HB, 771
Kreutzer GO, 410, 841 (D)
Krieger KR, 80
Kron IL, 451 (L), 586, 795 (L)
Kruse AP, 592
Kulik TJ, 35
Kunii T, 631 (L)
Kyo S, 802
Kyoku I, 399

L

Laborde MN, 137
Landymore RW, 310 (L)
Lange P, 597
Lansman SL, 303 (BC)
Larson JE, 907
Laschinger JC, 80
Lasley RD, 549
Lawrie GM, 500 (D), 831 (D)
Leca F, 443 (BC)
Leclerc Y, 523
Lecompte Y, 151 (L)
Lee BK, 549
Lee C-N, 700, 705 (D)
Lee MW, 119
Lemeshow SA, 532, 736
Lemmer JH, 849, 854 (D)
Lemole G, 287
Lerman BB, 586
Levin B, 541
Lewis JW, 119
Liakas R, 206
Liebman J, 146 (BC)
Lima RC, 729
Lincoln C, 690, 862 (D)
Lincoln JCR, 729
Litwak R, 112
Livesay JJ, 676
Livi U, 29
Lock JE, 35
Loschilov V, 206
Loughlin V, 68
Lowery RC, 303 (BC)
Lupinetti FM, 291, 502, 505 (D)

M

McCormack P, 639
McCraw JB, 13, 261
McGoon DC, 125 (C)
McGoon MD, 414
McGrath LB, 711
McGregor CGA, 623 (BC)
Mack JW, 912
McKnight CK, 97
McLaughlin PR, 243
McManus BM, 907
McNamara DG, 681
McWhorter JM, 921
Madonik MM, 243

Magilligan DJ Jr, 119
Mair DD, 700
Maitland A, 791 (BC)
Malm JR, 870 (D), 880 (D)
Mansour KA, 817 (D)
Marcelletti C, 706
Mark JBD, 813
Martin BA, 91
Martin RD, 523
Martinell J, 741
Martini N, 311 (L), 639, 648 (D)
Marvasti MA, 750
Marvin W, 35
Masaoka A, 7
Matloff JM, 632 (L)
Matsuda H, 856
Matsumura M, 802
Matsushima Y, 631 (L)
Mazzucco A, 29, 564
Mee RBB, 45
Menasche P, 235
Meng RL, 86, 387
Mengoli L, 186
Mentzer RM Jr, 549
Merin G, 145 (BC)
Meroni A, 167
Metzger WJ, 86
Meyer FJ, 430
Meyer JA, 360 (D)
Mickleborough LL, 523
Milano A, 564
Milgalter E, 281
Miller DC, 831 (D)
Miller JI, 514 (D)
Miller MM, 148 (BC)
Miller WH, 776
Milo S, 145 (BC)
Mindich BP, 112
Misbach GA, 592
Mitsudo S, 172
Miyagishima R, 91
Molenaar I, 378
Molina JE, 126, 136 (C)
Mollenkopf FP, 172
Monden Y, 7, 179
Montefusco CM, 172
Moore GE, 311 (L)
Moore RA, 287
Moores WY, 912
Moreno J, 741
Mori T, 179
Muhlbaier LH, 818
Munnell ER, 148 (BC)
Munro DD, 656
Muraoka R, 399
Murphy DA, 310 (L)
Murphy DA, 517
Murray GF, 853 (D)

N

Nakada T, 161
Nakahara K, 7
Nakamura K, 179
Nakano H, 399
Nakano S, 856
Neches WH, 605, 611
Neveux J-Y, 443 (BC)
Nevsky V, 206
Newman GE, 818
Nieuwenhuis P, 378
Nikaidoh H, 151 (L)
Nishimiya K, 420
Nistal F, 278
Noguchi M, 420
Nomoto S, 399
Norman JC, 152 (L)

O

Oca CC, 137
Ogilvie CM, 195
Oho K, 631 (L)
Okabe T, 161
Oldham HN Jr, 391
Olinger GN, 756
Omoto R, 802
O'Neill MJ Jr, 152 (L)
Ono J, 420
Orringer MB, 649, 655 (D), 849
Orszulak TA, 506, 662
Osborn MJ, 414
Ott DA, 676, 681, 689 (D)
Oyer PE, 623 (BC)

P

Pacifico AD, 711
Packer DL, 212
Pairolero PC, 367, 372 (D), 529 (D), 662, 842
Papp C, 13, 261
Pardini A, 265
Parker FB Jr, 750
Parker P, 261
Partridge JB, 373
Parulkar GB, 863 (D)
Pass HI, 451 (L)
Payne WS, 842
Pearson DT, 97
Peckham M, 306 (BC)
Peleg H, 783
Pelias AJ, 794 (L)
Pelletier LC, 265
Penido JRF, 667 (D)
Penkoske PA, 605, 611
Peterson RJ, 251, 391
Petracek MR, 502
Picardo S, 706
Pichel RH, 580
Piehler JM, 506, 662, 667 (D), 842
Pieroni D, 864
Pillai R, 306 (BC)
Pinter HH, 25
Piwnica A, 235
Pluth JR, 506, 662
Porter CJ, 414
Poston A, 148 (BC)
Potts JL, 750
Puga FJ, 506, 662, 700

Q

Quiroga MM, 91

R

Rábago G, 741
Rádegran K, 73
Radley-Smith R, 597
Rajah SM, 373
Rankin JS, 818, 832 (D)
Rao RS, 373
Rasmussen T, 126
Ravitch MM, 660 (D), 817 (D)
Readinger RI, 627 (BC)
Reese J, 668
Reger MJ, 750
Renkin J, 265
Rescorla FJ, 833
Reul GJ Jr, 676
Revuelta JM, 278
Rich MW, 56
Richerson HB, 86
Riddle JM, 119
Rigby ML, 690
Ring JC, 35
Ritter DG, 441 (BC)
Rizzoli G, 29
Roberts AJ, 453 (L)
Robicsek F, 931 (BC)
Rodgers BM, 451 (L), 795 (L)
Rodigas PC, 430
Rodriguez ER, 557, 756
Roe BB, 660 (D)
Rogler WC, 907
Roland M, 864
Rondinara G, 167
Roques XF, 137
Ross DN, 928 (BC)
Roth JA, 451 (L)
Rousou JA, 532, 736, 796 (L)
Roy RC, 921
Royster RL, 921
Rubio-Alvarez J, 309 (L)
Ruvolo G, 788 (BC)

S

Sabik J, 872
Sabiston DC Jr, 251, 321, 351, 818
Sade RM, 841 (D)
Safadi T, 145 (BC)
Saito A, 399
Saito M, 420
Sakai H, 420
Sakalauskas J, 206
Salter MCP, 373
Samadani SR, 776
Sandza JG, 56
Sanoudos GM, 348 (D)
Sarafian LB, 907
Sawamura K, 179
Scannell JG, 515 (D)
Schaff HV, 506, 516 (D), 662, 700
Schaper J, 882
Scheld H, 882
Schmidt W, 896
Schrör K, 378
Scully HE, 523, 531 (D)
Scupham RK, 86
Seawright SJ, 243
Seike Y, 7
Selle JG, 499 (D)
Serwer GA, 391
Seward JB, 441 (BC)
Sharath MD, 86
Sharma AK, 45
Shelburne JD, 351
Shemin RJ, 301 (BC), 872
Shields TW, 660 (D)
Shimada I, 399
Shimon DV, 281
Shinebourne EA, 690
Shinohara H, 420
Shipley GD, 833
Shiraishi Y, 399
Shirakura R, 856
Shoemaker WC, 771
Shumway NE, 623 (BC)
Siberman S, 281
Sicard GA, 225
Sirivella S, 776
Siwek LG, 404
Smolinsky A, 788 (BC), 869 (D)
Sondheimer HM, 50
Spencer FC, 80, 341, 350 (D), 371 (D), 528 (D)
Spotnitz AJ, 430
Spotnitz HM, 430, 499 (D), 811 (D)
Standeven JW, 668
Stanley P, 926 (BC)
Stein PD, 119
Stellin G, 29
Stewart JR, 68
Stiles QR, 372 (D)
Stinson EB, 623 (BC)
Stoney WS, 502
Struve-Christensen E, 21
Subramanian S, 864
Sullivan ME, 776
Sweeney MS, 676

T

Tacy L, 794 (L)
Taira O, 631 (L)
Takamoto S, 802, 811 (D)
Talenti E, 564
Taliercio CP, 414
Tales de Mendonça J, 445 (BC)
Thiene G, 564
Thomas CS, 502
Thomas FD, 50
Tong CP, 523
Trastek VF, 662, 842, 848 (D)
Trusler GA, 791 (BC)

U

Ueda K, 399
Uretzky G, 281
Urschel HC Jr, 667 (D)

V

Valfré C, 564
van der Lei B, 378
Vander Woude JC, 225
Van Devanter SH, 627 (BC)
Van Heeckeren D, 146 (BC)
VanNatta BW, 833
Van Way CW III, 854 (D)
Vargas FJ, 410, 870 (D)
Vaughan M, 928 (BC)
Veith FJ, 172
Vernon WB, 351
Verschuere I, 765
Vincent J, 935 (L)
Vlietstra RE, 414
Voldby B, 570
Vouhé PR, 443 (BC)

W

Waaben J, 570
Waller B, 833
Walter P, 882
Wareing TH, 291
Watson DA, 373
Watson R, 639
Wei J, 430
Weiler JM, 86
Weinstein GS, 541
Weisel RD, 243, 523, 633 (L)
Westcott J, 639
Westerman GR, 627 (BC)
Wildevuur CRH, 378
Williams DB, 592
Williams JG, 195
Williams WG, 791 (BC)
Willshaw P, 580
Wilson J, 656
Wolfe WG, 351
Wolpowitz A, 794 (L)
Wright CD, 195

Y

Yacoub MH, 597
Yamauchi A, 161
Yeoh N, 306 (BC)
Yokota M, 399
Yokote Y, 802
Young WG Jr, 251
Yousem SA, 623 (BC)

Z

Zaman M, 639
Zamora JL, 750
Zebrauskas R, 206
Zikria EA, 776
Ziskind Z, 788 (BC)
Zuazo Meabe J, 309 (L)
Zuberbuhler JR, 605, 611

Subject index*

A

Ablation, cryosurgical
Cryosurgical ablation of atrioventricular junction without extracorporeal circulation (Bredikis), 61
Cryosurgical ablation of left parietal wall accessory atrioventricular connections through coronary sinus without use of extracorporeal circulation (Bredikis and Bredikis), 199
Cryosurgical ablation of right parietal and septal accessory atrioventricular connections without use of extracorporeal circulation: new surgical technique (Bredikis et al.), 206

Abscess, lung
Giant lung abscess treated by tube thoracostomy (Mengoli), 186

Acetylsalicylic acid
Acetylsalicylic acid and dipyridamole improve early patency of aorta-coronary bypass grafts: double-blind, placebo-controlled, randomized trial (Rajah et al.), 373

Adhesions, pericardial
Pericardial meshing: effective method for prevention of pericardial adhesions and epicardial reaction after cardiac operations (Milgalter et al.), 281

Adenosine
Functional and metabolic evidence of enhanced myocardial tolerance to ischemia and reperfusion with adenosine (Ely et al.), 549

Allograft
Graft detachment, cause of incompetence in stent-mounted aortic valve allografts (Christie et al.), 901

Allopurinol
Prevention of free radical–induced myocardial reperfusion injury with allopurinol (Stewart et al.), 68

American Association for Thoracic Surgery
Announcement of 1986 Annual Meeting, 157, 317, 473, 635, 797, 939
Announcement of research scholarship, 156, 316
Annual meeting notes, 313
Graham Traveling Fellowship, 155, 315
Roster of members, 454

American Board of Thoracic Surgery
Notice of written examination, 160, 320, 476, 638, 800, 940
Notice of recertification process, 160, 320, 476, 638, 800, 940

Anaphylaxis
Protamine-induced fatal anaphylaxis: prevalence of antiprotamine immunoglobulin E antibody (Sharath et al.), 86

Anastomosis
Assessment of coronary and aortic anastomoses after anatomic correction of transposition of great arteries (Arensman et al.), 597

Anastomosis—Cont'd
Polydioxanone suture material in growing vascular anastomoses: experimental study (Verschuere et al.), 765
Revascularization of ischemic bronchial anastomoses by intercostal pedicle flap (Fell et al.), 172

Aneurysm
Repair of complex subvalvular aortic aneurysm with valved conduct (Galla et al.), 303 (brief comm.)

Angina, postinfarction
Postinfarction angina: expanding subset of patients undergoing coronary artery bypass (Breyer et al.), 532

Angioplasty
Left anterior descending coronary artery–right ventricle fistula complicating percutaneous transluminal angioplasty (Meng and Harlan), 387
Management of congenital stenosis of branch pulmonary artery with balloon dilation angioplasty: report of 52 procedures (Ring et al.), 35
Myocardial revascularization after failure of percutaneous transluminal coronary angioplasty (Pelletier et al.), 265

Angiosarcoma
Primary angiosarcoma of innominate vein: case report with resection and long-term survival (Miller et al.), 148 (brief comm.)

Anomaly
Cor triatriatum and total anomalous pulmonary venous connection: rare, surgically correctable anomaly (Vouhé et al.), 443 (brief comm.)
Hemitruncal sling: newly recognized anomaly and its surgical correction (Ben-Shachar et al.), 146 (brief comm.)
Pulmonary artery thrombosis associated with anomalous pulmonary venous connection: unusual complication following modified Fontan procedure (Downing et al.), 441 (brief comm.)
Surgical technique for correction of total anomalous pulmonary venous drainage (Vargas and Kreutzer), 410

Antibody
Anti-acetylcholine receptor antibody titer with extended thymectomy in myasthenia gravis (Kagotani et al.), 7
Protamine-induced fatal anaphylaxis: prevalence of antiprotamine immunoglobulin E antibody (Sharath et al.), 86

Anti-acetylcholine receptor antibody
Anti-acetylcholine receptor antibody titer with extended thymectomy in myasthenia gravis (Kagotani et al.), 7

Antibiotic irrigation
Comparison between antibiotic irrigation and mobilization of pectoral muscle flaps in treatment of deep sternal infections (Scully et al.), 523

Aorta
Acetylsalicylic acid and dipyridamole improve early patency of aorta-coronary bypass grafts: double-blind, placebo-controlled, randomized trial (Rajah et al.), 373

*July, pp. 1-160; August, pp. 161-320; September, pp. 321-476; October, pp. 477-638; November, pp. 639-800; December, pp. 801-962.

Aorta—Cont'd
Adequacy of ascending aorta–descending aorta shunt during cross-clamping of thoracic aorta for prevention of spinal cord injury (Molina et al.), 126
Assessment of coronary and aortic anastomoses after anatomic correction of transposition of great arteries (Arensman et al.), 597
Coarctation of aorta: new surgical technique (Teles de Mendonça et al.), 445 (brief comm.)
Hypoplastic aortic arch with aortic coarctation: surgical correction (Amato), 935 (letter); Reply (Vincent), 935
New cannulation technique for severely calcified ascending aorta (Golding), 626 (brief comm.)
Repair of complex subvalvular aortic aneurysm with valved conduit (Galla et al.), 303 (brief comm.)
Surgical repair of coarctation of aorta using internal mammary artery as free autogenous graft (Campalani et al.), 928 (brief comm.)
Use of internal mammary artery for preservation of circulation to left arm after subclavian flap aortoplasty in correction of coarctation in children (Fournier et al.), 926 (brief comm.)
Use of muscle flaps in repair of aortic defects (Horneffer et al.), 361

Aortic valve
Graft detachment, cause of incompetence in stent-mounted aortic valve allografts (Christie et al.), 901
Myocardial revascularization with combined aortic and mitral valve replacements (Akins et al.), 272
Packaging of 25 mm synthetic aortic prosthesis as 23 mm valve (Landymore), 310 (letter)
Rest and exercise hemodynamics following aortic valve replacement: comparison between 19 and 21 mm Ionescu-Shiley pericardial and Carpentier-Edwards porcine valves (Bove et al.), 750

Aortoplasty. *See* Aorta

Arm
Use of internal mammary artery for preservation of circulation to left arm after subclavian flap aortoplasty in correction of coarctation in children (Fournier et al.), 926 (brief comm.)

Arrest
Influence of pH of cardioplegic solutions on intracellular pH, high-energy phosphates, and postarrest performance: protective effects of acidotic, glutamate-containing cardioplegic perfusates (Bernard et al.), 235
Sympathoadrenal function during cardiac operations in infants with technique of surface cooling, limited cardiopulmonary bypass, and circulatory arrest (Firmin et al.), 729

Arrhythmias
Definitive operation for refractory cardiac tachyarrhythmias in children (Ott et al.), 681
Experience with 118 consecutive patients undergoing operation for Wolff-Parkinson-White syndrome (Cox et al.), 490
Extended subendocardial resection: surgical approach to ventricular tachyarrhythmias that cannot be mapped intraoperatively (Kron et al.), 586

Arterial pressure
Relative influence of arterial pressure versus intraoperative distention on lipid accumulation in primate vein bypass grafts (Boerboom et al.), 756

Arterial wall
Arterial wall regeneration in small-caliber vascular grafts in rats: neoendothelial healing and prostacyclin production (van der Lei et al.), 378

Artery(ies). *See also* specific artery

Arteries, great, transposition of
Anatomic correction for complete transposition and double-outlet right ventricle (Kanter et al.), 690
Assessment of coronary and aortic anastomoses after anatomic correction of transposition of great arteries (Arensman et al.), 597
Repair of transposition of great arteries with ventricular septal defect and left ventricular outflow tract obstruction (Lecompte and Bex), 151 (letter); Reply (Nikaidoh), 151

Assist, ventricular
Experimental acute right ventricular failure and right ventricular assist in dog (Cabrera Fischer et al.), 580

Atrioventricular canal defects
Surgical treatment of double-orifice mitral valve in atrioventricular canal defects: experience in 25 patients (Lee et al.), 700

Atrioventricular conduction system
Landmarks to atrioventricular conduction system in hearts with absence or unroofing of coronary sinus (Chiu et al.), 297

Atrioventricular connections
Cryosurgical ablation of left parietal wall accessory atrioventricular connections through coronary sinus without use of extracorporeal circulation (Bredikis and Bredikis), 199
Cryosurgical ablation of right parietal and septal accessory atrioventricular connections without use of extracorporeal circulation: new surgical technique (Bredikis et al.), 206
Death and other events after cardiac repair in discordant atrioventricular connection (McGraft et al.), 711

Atrioventricular junction
Cryosurgical ablation of atrioventricular junction without extracorporeal circulation (Bredikis), 61

Atrioventricular septal defect
Further observations on morphology of atrioventricular septal defects (Penkoske et al.), 611
Of clefts, commissures, and things (Anderson et al.), 605

Atrium
Administration of protamine through left atrium (Alaoui), 153 (letter); Reply (Frater), 154
Complications of left atrial catheter (Battaglini), 452 (letter)
Unusual interatrial communication after Fontan procedure (Westerman et al.), 627 (brief comm.)

B

Bacterial endocarditis
Staged surgical treatment of early bacterial endocarditis after surgical repair of tetralogy of Fallot and discrete subaortic stenosis: report of case (Smolinsky et al.), 788 (brief comm.)

Baffle, pericardial
Management of caval obstruction from pericardial baffles (Murphy), 310 (letter); Reply (Cobanoglu), 310

Balloon
Acute control of pulmonary regurgitation with balloon valve: experimental investigation (Siwek et al.), 404
Effect of intra-aortic balloon pump on right ventricular function (Norman), 152 (letter); Reply (O'Neill), 152
Management of congenital stenosis of branch pulmonary artery with balloon dilation angioplasty: report of 52 procedures (Ring et al.), 35

Bioprosthetic valve
Comparison of bioprosthetic and mechanical valve replacement for active endocarditis (Sweeney et al.), 676

Bioprosthetic valve—Cont'd
Cuspal perforations caused by long suture ends in implanted bioprosthetic valves (Jones et al.), 557
Early and late risk of mitral valve replacement: 12 year concomitant comparison of porcine bioprosthetic and prosthetic disc mitral valves (Cohn et al.), 872
Effect of warfarin on calcification of spontaneously degenerated porcine bioprosthetic valves (Stein et al.), 119
Results of reoperation for primary tissue failure of porcine bioprostheses (Bortolotti et al.), 564
Biopsy, needle
Transcarinal mediastinal needle biopsy compared with mediastinoscopy (Brynitz et al.), 21
Björk-Shiley valve
Long-term comparative analysis of Björk-Shiley and Hancock valves implanted in 1975 (Martinell et al.), 741
Blalock-Taussig shunt
Method of treating serous fluid leak from polytetrafluoroethylene Blalock-Taussig shunt (Maitland et al.), 791 (brief comm.)
Modified Blalock-Taussig shunt following long-term administration of prostaglandin E_1 for ductus-dependent neonates with cyanotic congenital heart disease (Yokota et al.), 399
Blood gases, systemic
Effect of ventilation on systemic blood gases in presence of left ventricular ejection during cardiopulmonary bypass (Moore et al.), 287
Brain
Nonpulsatile cardiopulmonary bypass disrupts flow-metabolism couple in brain (Anderson et al.), 570
Broncholithiasis
Surgical management of broncholithiasis (Trastek et al.), 842
Bronchus
Benign bronchoesophageal fistulas (Hendry et al.), 789 (brief comm.)
Bronchial carcinoids (Moore), 311 (letter); Reply (Martini), 311
Bronchial carcinoid arising in intralobar bronchopulmonary sequestration with vascular supply from left gastric artery: case report (Juettner et al.), 25
Bronchial compression by dilated pulmonary artery: surgical treatment (Corno et al.), 706
Bronchoplastic procedures and pulmonary artery reconstruction in treatment of bronchogenic cancer (Belli et al.), 167
Prognostic evaluation of tracheobronchial reconstruction for bronchogenic carcinoma (Fujimura et al.), 161
Revascularization of ischemic bronchial anastomoses by intercostal pedicle flap (Fell et al.), 172
Treatment of bronchopleural fistula after pneumonectomy (Baldwin and Mark), 813
Wedge resection as alternative procedure for peripheral bronchogenic carcinoma in poor-risk patients (Errett et al.), 656
Bypass, cardiopulmonary
Acute methemoglobinemia during cardiopulmonary bypass caused by intravenous nitroglycerin infusion (Robicsek), 931 (brief comm.)
Effect of body temperature on leukocyte kinetics during cardiopulmonary bypass (Quiroga et al.), 91
Effects of four different crystalloid bypass pump-priming fluids upon metabolic response to cardiac operation (McKnight et al.), 97
Effect of ventilation on systemic blood gases in presence of left ventricular ejection during cardiopulmonary bypass (Moore et al.), 287
Bypass, cardiopulmonary—Cont'd
Nonpulsatile cardiopulmonary bypass disrupts flow-metabolism couple in brain (Anderson et al.), 570
Somatosensory evoked potentials and cerebral metabolism during cardiopulmonary bypass with special reference to hypotension induced by prostacyclin infusion (Arén et al.), 73
Sympathoadrenal function during cardiac operations in infants with technique of surface cooling, limited cardiopulmonary bypass, and circulatory arrest (Firmin et al.), 729
Two-dimensional echocardiography in dogs: variation of left ventricular mass, geometry, volume, and ejection fraction on cardiopulmonary bypass (Haasler et al.), 430
Bypass, coronary. *See also* Revascularization
Acetylsalicylic acid and dipyridamole improve early patency of aorta-coronary bypass grafts: double-blind, placebo-controlled, randomized trial (Rajah et al.), 373
Bypass grafting in patients with renal failure (Rubio-Alvarez et al.), 309 (letter); Reply (Bolman), 309
Comparison of Cell Saver versus ultrafilter during coronary artery bypass operations (Breyer et al.), 736
Coronary Artery Surgery Study (CASS): critical appraisal (Weinstein and Levin), 541
Postinfarction angina: expanding subset of patients undergoing coronary artery bypass (Breyer et al.), 532
Twelve-year experience with internal mammary artery for coronary artery bypass (Barner et al.), 668
Bypass graft
Relative influence of arterial pressure versus intraoperative distention on lipid accumulation in primate vein bypass grafts (Boerboom et al.), 756

C

Calcification
Effect of warfarin on calcification of spontaneously degenerated porcine bioprosthetic valves (Stein et al.), 119
New cannulation technique for severely calcified ascending aorta (Golding), 626 (brief comm.)
Canal defects, atrioventricular
Surgical treatment of double-orifice mitral valve in atrioventricular canal defects: experience in 25 patients (Lee et al.), 700
Cancer, lung
Preoperative laser photodynamic therapy in combination with operation in lung cancer (Kato et al.), 420
Cannulation
New cannulation techniques for severely calcified ascending aorta (Golding), 626 (brief comm.)
Carcinoids, bronchial
Bronchial carcinoids (Moore), 311 (letter); Reply (Martini), 311
Bronchial carcinoid arising in intralobar bronchopulmonary sequestration with vascular supply from left gastric artery: case report (Juettner et al.), 25
Carcinoma
Bronchoplastic procedures and pulmonary artery reconstruction in treatment of bronchoplastic cancer (Belli et al.), 167
Comparative merits of conventional, computed tomographic, and magnetic resonance imaging in assessing mediastinal involvement in surgically confirmed lung carcinoma (Martini et al.), 639
Electron microscopy in selection of patients with small cell carcinoma of lung for medical versus surgical therapy (Iglehart et al.), 351

Carcinoma—Cont'd
Prognostic evaluation of tracheobronchial reconstruction for bronchogenic carcinoma (Fujimura et al.), 161
Wedge resection as alternative procedure for peripheral bronchogenic carcinoma in poor-risk patients (Errett et al.), 656
Cardiac *See* Heart
Cardioplegia
Effects of retrograde perfusion of cardioplegic solution in cardiac operations (Schaper et al.), 882
Imidazole-buffered cardioplegic solution: improved myocardial preservation during global ischemia (Vander Woude et al.), 225
Influence of pH of cardioplegic solutions on intracellular pH, high-energy phosphates, and postarrest performance: protective effects of acidotic, glutamate-containing cardioplegic perfusates (Bernard et al.), 235
Myocardial energy depletion during profound hypothermic cardioplegia for cardiac operations (Kaijser et al.), 896
Right ventricular dysfunction following cold potassium cardioplegia (Christakis et al.), 243
Cardiopulmonary bypass. *See* Bypass, cardiopulmonary
Cardiovascular. *See* Heart
Carotid artery
Coronary revascularization in patients with bilateral internal carotid occlusions (Gravlee et al.), 921
Carpentier-Edwards valve
Rest and exercise hemodynamics following aortic valve replacement: comparison between 19 and 21 mm Ionescu-Shiley pericardial and Carpentier-Edwards porcine valves (Bove et al.), 750
Carpentier techniques
Experiences with Carpentier techniques of mitral valve reconstruction in 103 patients (1980-1985) (Spencer et al.), 341
CASS. *See* Coronary artery
Catheter, atrial
Complications of left atrial catheter (Battaglini), 452 (letter)
Cava
Management of caval obstruction from pericardial baffles (Murphy), 310 (letter); Reply (Cobanoglu), 310
Physiological rationale for bidirectional cavopulmonary shunt: versatile complement to Fontan principle (Hopkins et al.), 391
Cell Saver
Comparison of Cell Saver versus ultrafilter during coronary artery bypass operations (Breyer et al.), 736
Cerebral metabolism
Somatosensory evoked potentials and cerebral metabolism during cardiopulmonary bypass with special reference to hypotension induced by prostacyclin infusion (Arén et al.), 73
Chest wall
Chest wall tumors: experience with 100 consecutive patients (Pairolero and Arnold), 367
Childhood
Combined prostaglandin therapy and ductal formalin infiltration in neonatal pulmonary oligemia (Larson et al.), 907
Definitive operation for refractory cardiac tachyarrhythmias in children (Ott et al.), 681
Modified Blalock-Taussig shunt following long-term administration of prostaglandin E_1 for ductus-dependent neonates with cyanotic congenital heart disease (Yokota et al.), 399
Sympathoadrenal function during cardiac operations in infants with technique of surface cooling, limited cardiopulmonary bypass, and circulatory arrest (Firmin et al.), 729
Childhood—Cont'd
Use of internal mammary artery for preservation of circulation to left arm after subclavian flap aortoplasty in correction of coarctation in children (Fournier et al.), 926 (brief comm.)
Chylothorax
Treatment of chylothorax (Pass and Roth), 451 (letter); Reply (Kron and Rodgers), 451
Circulation
Cryosurgical ablation of atrioventricular junction without extracorporeal circulation (Bredikis), 61
Cryosurgical ablation of left parietal wall accessory atrioventricular connections through coronary sinus without use of extracorporeal circulation (Bredikis and Bredikis), 199
Cryosurgical ablation of right parietal and septal accessory atrioventricular connections without use of extracorporeal circulation: new surgical technique (Bredikis et al.), 206
Observations on coronary circulation: with tributes to my teachers (Sabiston), 321
Sympathoadrenal function during cardiac operations in infants with technique of surface cooling, limited cardiopulmonary bypass, and circulatory arrest (Firmin et al.), 729
Cleft
Of clefts, commissures, and things (Anderson et al.), 605
Coarctation of aorta
Coarctation of aorta: new surgical technique (Teles de Mendonça et al.), 445 (brief comm.)
Hypoplastic aortic arch with aortic coarctation: surgical correction (Amato), 935 (letter); Reply (Vincent), 935
Surgical repair of coarctation of aorta using internal mammary artery as free autogenous graft (Campalani et al.), 928 (brief comm.)
Use of internal mammary artery for preservation of circulation to left arm after subclavian flap aortoplasty in correction of coarctation in children (Fournier et al.), 926 (brief comm.)
Color flow mapping
Intraoperative color flow mapping by real-time two-dimensional Doppler echocardiography for evaluation of valvular and congenital heart disease and vascular disease (Takamoto et al.), 802
Commissure
Of clefts, commissures, and things (Anderson et al.), 605
Computed tomography
Comparative merits of conventional, computed tomographic, and magnetic resonance imaging in assessing mediastinal involvement in surgically confirmed lung carcinoma (Martini et al.), 639
Conduction system
Landmarks to atrioventricular conduction system in hearts with absence or unroofing of coronary sinus (Chiu et al.), 297
Conduit, valved
Externally stented polytetrafluoroethylene valved conduits for right heart reconstruction: experimental comparison with Dacron valved conduits (Brown et al.), 833
Repair of complex subvalvular aortic aneurysm with valved conduit (Galla et al.), 303 (brief comm.)
Congenital heart disease
Intraoperative color flow mapping by real-time two-dimensional Doppler echocardiography for evaluation of valvular and congenital heart disease and vascular disease (Takamoto et al.), 802
Modified Blalock-Taussig shunt following long-term administration of prostaglandin E_1 for ductus-dependent neonates with cyanotic congenital heart disease (Yokota et al.), 399

Connection
Cor triatriatum and total anomalous pulmonary venous connection: rare, surgically correctable anomaly (Vouhé et al.), 443 (brief comm.)
Death and other events after cardiac repair in discordant atrioventricular connection (McGrath et al.), 711
Pulmonary artery thrombosis associated with anomalous pulmonary venous connection: unusual complication following modified Fontan procedure (Downing et al.), 441 (brief comm.)
Cor triatriatum
Cor triatriatum and total anomalous pulmonary venous connection: rare, surgically correctable anomaly (Vouhé et al.), 443 (brief comm.)
Coronary artery
Acetylsalicylic acid and dipyridamole improve early patency of aorta-coronary bypass grafts: double-blind, placebo-controlled, randomized trial (Rajah et al.), 373
Assessment of coronary and aortic anastomoses after anatomic correction of transposition of great arteries (Arensman et al.), 597
Comparison of Cell Saver versus ultrafilter during coronary artery bypass operations (Breyer et al.), 736
Coronary Artery Surgery Study (CASS): critical appraisal (Weinstein and Levin), 541
Coronary revascularization in patients with bilateral internal carotid occlusions (Gravlee et al.), 921
Effects of coronary revascularization on left ventricular function in ischemic heart disease (Rankin et al.), 818
Left anterior descending coronary artery–right ventricle fistula complicating percutaneous transluminal angioplasty (Meng and Harlan), 387
Multiple-vessel coronary revascularization with combined in situ and free sequential internal mammary arteries (Gold et al.), 301 (brief comm.)
Myocardial revascularization after failure of percutaneous transluminal coronary angioplasty (Pelletier et al.), 265
Observations on coronary circulation: with tributes to my teachers (Sabiston), 321
Postinfarction angina: expanding subset of patients undergoing coronary artery bypass (Breyer et al.), 532
Twelve-year experience with internal mammary artery for coronary artery bypass (Barner et al.), 668
Coronary sinus
Cryosurgical ablation of left parietal wall accessory atrioventricular connections through coronary sinus without use of extracorporeal circulation (Bredikis and Bredikis), 199
Landmarks to atrioventricular conduction system in hearts with absence or unroofing of coronary sinus (Chiu et al.), 297
Correction
Anatomic correction for complete transposition and double-outlet right ventricle (Kanter et al.), 690
Correspondence
Administration of protamine through left atrium (Alaoui), 153; Reply (Frater), 154
Bronchial carcinoids (Moore), 311; Reply (Martini), 311
Bypass grafting in patients with renal failure (Rubio-Alvarez et al.), 309; Reply (Bolman), 309
Cardiovascular effects of protamine sulfate (Cavarocchi), 312; Reply (Fiser), 312
Case of postoperative internal mammary steal (Pelias et al.), 794
Complications of left atrial catheter (Battaglini), 452
Correspondence—Cont'd
Effect of intra-aortic balloon pump on right ventricular function (Norman), 152; Reply (O'Neill) 152
Heart storage at 0° C (Bayliss), 936
Hypoplastic aortic arch with aortic coarctation: surgical correction (Amato), 935; Reply (Vincent), 935
Intraoperative assessment of reconstructed mitral valve (Cohn), 311
Management of caval obstruction from pericardial baffles (Murphy), 310; Reply (Cobanoglu), 310
Packaging of 25 mm synthetic aortic prosthesis as 23 mm valve (Landymore), 310
Palliative tracheal tube stent without tracheotomy in tracheal stenosis (Amemiya et al.), 631
Papaverine treatment of vein grafts (Catinella and Cunningham), 452; Reply (Roberts), 453
Phrenic nerve paresis associated with myocardial protection jacket (Bonchek), 795; Reply (Rousou), 796
Pleuroperitoneal shunt (Hussain), 795; Reply (Kron and Rodgers), 795
Postoperative temperatures and ventricular function (Czer et al.), 632; Reply (Fremes and Weisel), 633
Repair of transposition of great arteries with ventricular septal defect and left ventricular outflow tract obstruction (Lecompte and Bex), 151; Reply (Nikaidoh), 151
Tragedy of tobacco (Harken), 794
Treatment of chylothorax (Pass and Roth), 451; Reply (Kron and Rodgers), 451
Use of plastic sleeve to lead stomach through mediastinum (Butz), 632
Couple, flow-metabolism
Nonpulsatile cardiopulmonary bypass disrupts flow-metabolism couple in brain (Anderson et al.), 570
Cross-clamping of aorta
Adequacy of ascending aorta–descending aorta shunt during cross-clamping of thoracic aorta for prevention of spinal cord injury (Molina et al.), 126
Cryoprecipitate
Cryoprecipitate–topical thrombin glue: initial experience in patients undergoing cardiac operations (Lupinetti et al.), 502
Cryosurgical ablation
Cryosurgical ablation of atrioventricular junction without extracorporeal circulation (Bredikis), 61
Cryosurgical ablation of left parietal wall accessory atrioventricular connections through coronary sinus without use of extracorporeal circulation (Bredikis and Bredikis), 199
Cryosurgical ablation of right parietal and septal accessory atrioventricular connections without use of extracorporeal circulation: new surgical technique (Bredikis et al.), 206
Crystalloid solution
Effects of four different crystalloid bypass pump-priming fluids upon metabolic response to cardiac operation (McKnight et al.), 97
Cusp, valve
Cuspal perforations caused by long suture ends in implanted bioprosthetic valves (Jones et al.), 557
Cyanosis
Modified Blalock-Taussig shunt following long-term administration of prostaglandin E_1 for ductus-dependent neonates with cyanotic congenital heart disease (Yokota et al.), 399
Pathophysiology of chronic cyanosis in canine model: functional and metabolic response to global ischemia (Lupinetti et al.), 291

Cyst
Foregut cysts of mediastinum: results in 20 consecutive surgically treated cases (Sirivella et al.), 776
Simultaneous operation for hydatid cysts of right lung and liver (Peleg et al.), 783

D

Dacron conduit
Externally stented polytetrafluoroethylene valved conduits for right heart reconstruction: experimental comparison with Dacron valved conduits (Brown et al.), 833
Defect
Experimental reconstruction of trachea with autogenous materials (Papp et al.), 13
Experimental use of intercostal muscle flaps for repair of induced cardiac defects (Papp et al.), 261
Further observations on morphology of atrioventricular septal defects (Penkoske et al.), 611
Of clefts, commissures, and things (Anderson et al.), 605
Repair of transposition of great arteries with ventricular septal defect and left ventricular outflow tract obstruction (Lecompte and Bex), 151 (letter); Reply (Nikaidoh), 151
Surgical treatment of double-orifice mitral valve in atrioventricular canal defects: experience in 25 patients (Lee et al.), 700
Diaphragmatic paralysis
Results of diaphragmatic plication for unilateral diaphragmatic paralysis (Wright et al.), 195
Dipyridamole
Acetylsalicylic acid and dipyridamole improve early patency of aorta-coronary bypass grafts: double-blind, placebo-controlled, randomized trial (Rajah et al.), 373
Disc valves
Early and late risk of mitral valve replacement: 12 year concomitant comparison of porcine bioprosthetic and prosthetic disc mitral valves (Cohn et al.), 872
Disease
Surgical managment of effusive pericardial disease: influence of extent of pericardial resection on clinical course (Piehler et al.), 506
Transhiatal esophagectomy for benign disease (Orringer), 649
Doppler echocardiography
Intraoperative color flow mapping by real-time two-dimensional Doppler echocardiography for evaluation of valvular and congenital heart disease and vascular disease (Takamoto et al.), 802
Double-orifice mitral valve
Surgical treatment of double-orifice mitral valve in atrioventricular canal defects: experience in 25 patients (Lee et al.), 700
Double-outlet right ventricle
Anatomic correction for complete transposition and double-outlet right ventricle (Kanter et al.), 690
Surgical management of double-outlet right ventricle (Mazzucco et al.), 29
Drainage, total anomalous pulmonary venous
Surgical technique for correction of total anomalous pulmonary venous drainage (Vargas and Kreutzer), 410
Ductus
Modified Blalock-Taussig shunt following long-term administration of prostaglandin E_1 for ductus-dependent neonates with cyanotic congenital heart disease (Yokota et al.), 399
Dysfunction, ventricular
Pathophysiology of chronic cyanosis in canine model: functional and metabolic response to global ischemia (Lupinetti et al.), 291
Dysfunction, ventricular—Cont'd
Right ventricular dysfunction following cold potassium cardioplegia (Christakis et al.), 243
Dysphagia
Transhiatal esophagectomy for benign disease (Orringer), 649

E

Echocardiography
Improved intraoperative evaluation of mitral valve operations utilizing two-dimensional contrast echocardiography (Mindich et al.), 112
Intraoperative color flow mapping by real-time two-dimensional Doppler echocardiography for evaluation of valvular and congenital heart disease and vascular disease (Takamoto et al.), 802
Two-dimensional echocardiography in dogs: variation of left ventricular mass, geometry, volume, and ejection fraction on cardiopulmonary bypass (Haasler et al.), 430
Editorial
The Sangreal (Edmunds), 1
Effusion
Surgical management of effusive pericardial disease: influence of extent of pericardial resection on clinical course (Piehler et al.), 506
Ejection fraction
Two-dimensional echocardiography in dogs: variation of left ventricular mass, geometry, volume, and ejection fraction on cardiopulmonary bypass (Haasler et al.), 430
Elderly
Cardiac operations in patients over 80 years of age (Rich et al.), 56
Electron microscopy
Electron microscopy in selection of patients with small cell carcinoma of lung for medical versus surgical therapy (Iglehart et al.), 351
Empyema
Modern management of adult thoracic empyema (Lemmer et al.), 849
Surgical treatment of chronic empyema: new one-stage operation (Iioka et al.), 179
Endocarditis
Comparison of bioprosthetic and mechanical valve replacement for active endocarditis (Sweeney et al.), 676
Staged surgical treatment of early bacterial endocarditis after surgical repair of tetralogy of Fallot and discrete subaortic stenosis: report of case (Smolinsky et al.), 788 (brief comm.)
Energy, myocardial
Myocardial energy depletion during profound hypothermic cardioplegia for cardiac operations (Kaijser et al.), 896
Epicardial reaction
Pericardial meshing: effective method for prevention of pericardial adhesions and epicardial reaction after cardiac operations (Milgalter et al.), 281
Errata
Errata, 655, 848
Esophagectomy
Transhiatal esophagectomy for benign disease (Orringer), 649
Exercise test
Noninvasive assessment of exercise cardiac function before and after pectus excavatum repair (Peterson et al.), 251
Extracorporeal circulation
Cryosurgical ablation of atrioventricular junction without extracorporeal circulation (Bredikis), 61

Extracorporeal circulation—Cont'd
Cryosurgical ablation of left parietal wall accessory atriventricular connections through coronary sinus without use of extracorporeal circulation (Bredikis and Bredikis), 199
Cryosurgical ablation of right parietal and septal accessory atrioventricular connections without use of extracorporeal circulation: new surgical technique (Bredikis et al.), 206

F

Failure
Bypass grafting in patients with renal failure (Rubio-Alvarez et al.), 309 (letter); Reply (Bolman), 309
Experimental acute right ventricular failure and right ventricular assist in dog (Cabrera Fischer et al.), 580
Incidence of primary tissue valve failure with Ionescu-Shiley pericardial valve: preliminary results (Gallo et al.), 278
Results of reoperation for primary tissue failure of porcine bioprostheses (Bortolotti et al.), 564
Fallot, tetralogy of
Ninety consecutive corrective operations for tetralogy of Fallot with or without minimal right ventriculotomy (Kawashima et al.), 856
Staged surgical treatment of early bacterial endocarditis after surgical repair of tetralogy of Fallot and discrete subaortic stenosis: report of case (Smolinsky et al.), 788 (brief comm.)
Fibrin glue
Tracheal repair with fibrin glue (Kram et al.), 771
Fistula
Benign bronchoesophageal fistulas (Hendry et al.), 789 (brief comm.)
Left anterior descending coronary artery–right ventricle fistula complicating percutaneous transluminal angioplasty (Meng and Harlan), 387
Treatment of bronchopleural fistula after pneumonectomy (Baldwin and Mark), 813
Flap
Comparison between antibiotic irrigation and mobilization of pectoral muscle flaps in treatment of deep sternal infections (Scully et al.), 523
Experimental reconstruction of trachea with autogenous materials (Papp et al.), 13
Experimental use of intercostal muscle flaps for repair of induced cardiac defects (Papp et al.), 261
Revascularization of ischemic bronchial anastomoses by intercostal pedicle flap (Fell et al.), 172
Use of internal mammary artery for preservation of circulation to left arm after subclavian flap aortoplasty in correction of coarctation in children (Fournier et al.), 926 (brief comm.)
Use of muscle flaps in repair of aortic defects (Horneffer et al.), 361
Flow
Nonpulsatile cardiopulmonary bypass disrupts flow-metabolism couple in brain (Andersen et al.), 570
Fontan procedure
Permanent cardiac pacing after Fontan procedure (Taliercio et al.), 414
Physiological rationale for bidirectional cavopulmonary shunt: versatile complement to Fontan principle (Hopkins et al.), 391
Pulmonary artery thrombosis associated with anomalous pulmonary venous connection: unusual complication following modified Fontan procedure (Downing et al.), 441 (brief comm.)
Fontan procedure—Cont'd
Unusual interatrial communication after Fontan procedure (Westerman et al.), 627 (brief comm.)
Foregut cyst
Foregut cysts of mediastinum: results in 20 consecutive surgically treated cases (Sirivella et al.), 776
Formalin
Combined prostaglandin therapy and ductal formalin infiltration in neonatal pulmonary oligemia (Larson et al.), 907
Free wall, ventricular
Successful repair of concomitant tear of interventricular septum and right ventricular free wall after acute myocardial infarction (Merin et al.), 145 (brief comm.)
Function
Effects of coronary revascularization on left ventricular function in ischemic heart disease (Rankin et al.), 818
Effect of intra-aortic balloon pump on right ventricular function (Norman), 152 (letter); Reply (O'Neill), 152
Noninvasive assessment of exercise cardiac function before and after pectus excavatum repair (Peterson et al.), 251
Postoperative temperatures and ventricular function (Czer et al.), 632 (letter); Reply (Fremes and Weisel), 633

G

Gastric artery
Bronchial carcinoid arising in intralobar bronchopulmonary sequestration with vascular supply from left gastric artery: case report (Juettner et al.), 25
German-American relations
Hands across the ocean: German-American relations in thoracic surgery (Borst), 477
Glue
Cryoprecipitate–topical thrombin glue: initial experience in patients undergoing cardiac operations (Lupinetti et al.), 502
Tracheal repair with fibrin glue (Kram et al.), 771
Glutamate
Influence of pH of cardioplegic solutions on intracellular pH, high-energy phosphates, and postarrest performance: protective effects of acidotic, glutamate-containing cardioplegic perfusates (Bernard et al.), 235
Graft
Graft detachment, cause of incompetence in stent-mounted aortic valve allografts (Christie et al.), 901
Surgical repair of coarctation of aorta using internal mammary artery as free autogenous graft (Campalani et al.), 928 (brief comm.)
Graft, coronary bypass
Acetylsalicylic acid and dipyridamole improve early patency of aorta-coronary bypass grafts: double-blind, placebo-controlled, randomized trial (Rajah et al.), 373
Bypass grafting in patients with renal failure (Rubio-Alvarez et al.), 309 (letter); Reply (Bolman), 309
Graft, vascular
Arterial wall regeneration in small-caliber vascular grafts in rats: neoendothelial healing and prostacyclin production (van der Lei et al.), 378
Graft, vein
Papaverine treatment of vein grafts (Catinella and Cunningham), 452 (letter); Reply (Roberts), 453
Relative influence of arterial pressure versus intraoperative distention on lipid accumulation in primate vein bypass grafts (Boerboom et al.), 756

Guest reviewers
Guest reviewers for the Journal of Thoracic and Cardiovascular Surgery, 801

H

Hancock valve
Long-term comparative analysis of Björk-Shiley and Hancock valves implanted in 1975 (Martinell et al.), 741
Heart
Cardiac operations in patients over 80 years of age (Rich et al.), 56
Cardiovascular effects of protamine sulfate (Cavarocchi), 312 (letter); Reply (Fiser), 312
Concomitant cardiac and pulmonary operations (Piehler et al.), 662
Death and other events after cardiac repair in discordant atrioventricular connection (McGrath et al.), 711
Definitive operation for refractory cardiac tachyarrhythmias in children (Ott et al.), 681
Effects of coronary revascularization on left ventricular function in ischemic heart disease (Rankin et al.), 818
Effects of four different crystalloid bypass pump-priming fluids upon metabolic response to cardiac operation (McKnight et al.), 97
Effects of retrograde perfusion of cardioplegic solution in cardiac operations (Schaper et al.), 882
Experimental use of intercostal muscle flaps for repair of induced cardiac defects (Papp et al.), 261
Heart storage at 0° C (Bayliss), 936 (letter)
Intraoperative color flow mapping by real-time two-dimensional Doppler echocardiography for evaluation of valvular and congenital heart disease and vascular disease (Takamoto et al.), 802
Isolated pulmonary rejection after combined heart-lung transplantation (McGregor et al.), 623 (brief comm.)
Modified Blalock-Taussig shunt following long-term administration of prostaglandin E_1 for ductus-dependent neonates with cyanotic congenital heart disease (Yokota et al.), 399
Myocardial energy depletion during profound hypothermic cardioplegia for cardiac operations (Kaijser et al.), 896
Noninvasive assessment of exercise cardiac function before and after pectus excavatum repair (Peterson et al.), 251
Pericardial meshing: effective method for prevention of pericardial adhesions and epicardial reaction after cardiac operations (Milgalter et al.), 281
Permanent cardiac pacing after Fontan procrdure (Taliercio et al.), 414
Sympathoadrenal function during cardiac operations in infants with technique of surface cooling, limited cardiopulmonary bypass, and circulatory arrest (Firmin et al.), 729
Hemitruncal sling
Hemitruncal sling: newly recognized anomaly and its surgical correction (Ben-Shachar et al.), 146 (brief comm.)
Hodgkin's disease
Thymolipoma in association with Hodgkin's disease (Pillai et al.), 306 (brief comm.)
Honored Guest's Address
Hands across the ocean: German-American relations in thoracic surgery (Borst), 477
Hydatid cyst
Simultaneous operation for hydatid cysts of right lung and liver (Peleg et al.) 783
Hypoplastic aortic arch
Hypoplastic aortic arch with aortic coarctation: surgical correction (Amato), 935 (letter); Reply (Vincent), 935
Hypotension
Somatosensory evoked potentials and cerebral metabolism during cardiopulmonary bypass with special reference to hypotension induced by prostacyclin infusion (Arèn et al.), 73
Hypothermia
Heart storage at 0° C (Bayliss), 936 (letter)
Myocardial energy depletion during profound hypothermic cardioplegia for cardiac operations (Kaijser et al.), 896

I

Imidazole
Imidazole-buffered cardioplegic solution: improved myocardial preservation during global ischemia (Vander Woude et al.), 225
Immunoglobulin E, antiprotamine
Protamine-induced fatal anaphylaxis: prevalence of antiprotamine immunoglobulin E antibody (Sharath et al.), 86
Incompetence
Graft detachment, cause of incompetence in stent-mounted aortic valve allografts (Christie et al.), 901
Infancy. *See* Childhood
Infarction
Adjunctive left ventricular unloading during myocardial reperfusion plays a major role in minimizing myocardial infarct size (Laschinger et al.), 80
Postinfarction angina: expanding subset of patients undergoing coronary artery bypass (Breyer et al.), 532
Successful repair of concomitant tear of interventricular septum and right ventricular free wall after acute myocardial infarction (Merin et al.), 145 (brief comm.)
Infection
Comparison between antibiotic irrigation and mobilization of pectoral muscle flaps in treatment of deep sternal infections (Scully et al.), 523
Innominate vein
Primary angiosarcoma of innominate vein: case report with resection and long-term survival (Miller et al.), 148 (brief comm.)
Insufficiency, pulmonary
Improved right ventricular function following late pulmonary valve replacement for residual pulmonary insufficiency or stenosis (Bove et al.), 50
Interatrial communication
Unusual interatrial communication after Fontan procedure (Westerman et al.), 627 (brief comm.)
Intercostal muscle flap
Experimental use of intercostal muscle flaps for repair of induced cardiac defects (Papp et al.), 261
Intercostal pedicle flap
Revascularization of ischemic bronchial anastomoses by intercostal pedicle flap (Fell et al.), 172
Internal mammary artery
Case of postoperative internal mammary steal (Pelias et al.), 794 (letter)
Multiple-vessel coronary revascularization with combined in situ and free sequential internal mammary arteries (Gold et al.), 301 (brief comm.)
Surgical repair of coarctation of aorta using internal mammary artery as free autogenous graft (Campalani et al.), 928 (brief comm.)

Internal mammary artery—Cont'd
Twelve-year experience with internal mammary artery for coronary artery bypass (Barner et al.), 668
Use of internal mammary artery for preservation of circulation to left arm after subclavian flap aortoplasty in correction of coarctation in children (Fournier et al.), 926 (brief comm.)
Interventricular septum
Successful repair of concomitant tear of interventricular septum and right ventricular free wall after acute myocardial infarction (Merin et al.), 145 (brief comm.)
Intra-aortic balloon
Effect of intra-aortic balloon pump on right ventricular function (Norman), 152 (letter); Reply (O'Neill), 152
Intramyocardial pressure
Intramyocardial pressure in canine heart: experimental study (Denys et al.), 888
Ionescu-Shiley valve
Incidence of primary tissue valve failure with Ionescu-Shiley pericardial valve: preliminary results (Gallo et al.), 278
Rest and exercise hemodynamics following aortic valve replacement: comparison between 19 and 21 mm Ionescu-Shiley pericardial and Carpentier-Edwards porcine valves (Bove et al.), 750
Ischemia
Effects of coronary revascularization on left ventricular function in ischemic heart disease (Rankin et al.), 818
Functional and metabolic evidence of enhanced myocardial tolerance to ischemia and reperfusion with adenosine (Ely et al.), 549
Imidazole-buffered cardioplegic solution: improved myocardial preservation during global ischemia (Vander Woude et al.), 225
Pathophysiology of chronic cyanosis in canine model: functional and metabolic response to global ischemia (Lupinetti et al.), 291
Qualitative evaluation of myocardial preservative characteristics of nifedipine during hypothermic myocardial ischemia (Moores et al.), 912
Isolation procedures, ventricular
Right ventricular isolation procedures for nonischemic ventricular tachycardia (Cox et al.), 212

J

Jacket, myocardial protection
Phrenic nerve paresis associated with myocardial protection jacket (Bonchek), 795 (letter); Reply (Rousou), 796

K

Kinetics, leukocyte
Effect of body temperature on leukocyte kinetics during cardiopulmonary bypass (Quiroga et al.), 91

L

Laser photodynamic therapy
Preoperative laser photodynamic therapy in combination with operation in lung cancer (Kato et al.), 420
Leak, serous fluid
Method of treating serous fluid leak from polytetrafluoroethylene Blalock-Taussig shunt (Maitland et al.), 791 (brief comm.)
Leukocyte kinetics
Effect of body temperature on leukocyte kinetics during cardiopulmonary bypass (Quiroga et al.), 91
Lipid accumulation
Relative influence of arterial pressure versus intraoperative distention on lipid accumulation in primate vein bypass grafts (Boerboom et al.), 756
Litigation against tobacco manufacturers
Tragedy of tobacco (Harken), 794 (letter)
Liver
Simultaneous operation for hydatid cysts of right lung and liver (Peleg et al.), 783
Lung
Comparative merits of conventional, computed tomographic, and magnetic resonance imaging in assessing mediastinal involvement in surgically confirmed lung carcinoma (Martini et al.), 639
Electron microscopy in selection of patients with small cell carcinoma of lung for medical versus surgical therapy (Iglehart et al.), 351
Giant lung abscess treated by tube thoracostomy (Mengoli), 186
Preoperative laser photodynamic therapy in combination with operation in lung cancer (Kato et al.), 420
Simultaneous operation for hydatid cysts of right lung and liver (Peleg et al.), 783

M

Magnetic resonance imaging
Comparative merits of conventional, computed tomographic, and magnetic resonance imaging in assessing mediastinal involvement in surgically confirmed lung carcinoma (Martini et al.), 639
Mammary artery, internal
Case of postoperative internal mammary steal (Pelias et al.), 794 (letter)
Multiple-vessel coronary revascularization with combined in situ and free sequential internal mammary arteries (Gold et al.), 301 (brief comm.)
Surgical repair of coarctation of aorta using internal mammary artery as free autogenous graft (Campalani et al.), 928 (brief comm.)
Twelve-year experience with internal mammary artery for coronary artery bypass (Barner et al.), 668
Use of internal mammary artery for preservation of circulation to left arm after subclavian flap aortoplasty in correction of coarctation in children (Fournier et al.), 926 (brief comm.)
Mapping, color flow
Intraoperative color flow mapping by real-time two-dimensional Doppler echocardiography for evaluation of valvular and congenital heart disease and vascular disease (Takamoto et al.), 802
Mechanical valve
Comparison of bioprosthetic and mechanical valve replacement for active endocarditis (Sweeney et al.), 676
Mediastinitis
Mediastinitis after cardiac valve operations: impact upon survival (Cheung et al.), 517
Mediastinoscopy
Transcarinal mediastinal needle biopsy compared with mediastinoscopy (Brynitz et al.), 21
Mediastinum
Comparative merits of conventional, computed tomographic, and magnetic resonance imaging in assessing mediastinal involvement in surgically confirmed lung carcinoma (Martini et al.), 639

Mediastinum—Cont'd
Foregut cysts of mediastinum: results in 20 consecutive surgically treated cases (Sirivella et al.), 776
Use of plastic sleeve to lead stomach through mediastinum (Butz), 632 (letter)
Meshing, pericardial
Pericardial meshing: effective method for prevention of pericardial adhesions and epicardial reaction after cardiac operations (Milgalter et al.), 281
Metabolism
Effects of four different crystalloid bypass pump-priming fluids upon metabolic response to cardiac operation (McKnight et al.), 97
Nonpulsatile cardiopulmonary bypass disrupts flow-metabolism couple in brain (Andersen et al.), 570
Somatosensory evoked potentials and cerebral metabolism during cardiopulmonary bypass with special reference to hypotension induced by prostacylin infusion (Arén et al.), 73
Methemoglobinemia
Acute methemoglobinemia during cardiopulmonary bypass caused by intravenous nitroglycerin infusion (Robicsek), 931 (brief comm.)
Mitral valve
Early and late risk of mitral valve replacement: 12 year concomitant comparison of porcine bioprosthetic and prosthetic disc mitral valves (Cohn et al.), 872
Experiences with Carpentier techniques of mitral valve reconstruction in 103 patients (1980-1985) (Spencer et al.), 341
Improved intraoperative evaluation of mitral valve operations utilizing two-dimensional contrast echocardiography (Mindich et al.), 112
Intraoperative assessment of reconstructed mitral valve (Cohn), 311 (letter)
Myocardial revascularization with combined aortic and mitral valve replacements (Akins et al.), 272
Surgical treatment of double-orifice mitral valve in atrioventricular canal defects: experience in 25 patients (Lee et al.), 700
Muscle flaps
Comparison between antibiotic irrigation and mobilization of pectoral muscle flaps in treatment of deep sternal infections (Scully et al.), 523
Experimental reconstruction of trachea with autogenous materials (Papp et al.), 13
Experimental use of intercostal muscle flaps for repair of induced cardiac defects (Papp et al.), 261
Use of muscle flaps in repair of aortic defects (Horneffer et al.), 361
Mustard procedure
Management of caval obstruction from pericardial baffles (Murphy), 310 (letter); Reply (Coganoglu), 310
Myasthenia gravis
Anti-acetylcholine receptor antibody titer with extended thymectomy in myasthenia gravis (Kagotani et al.), 7
Myocardium
Adjunctive left ventricular unloading during myocardial reperfusion plays a major role in minimizing myocardial infarct size (Laschinger et al.), 80
Functional and metabolic evidence of enhanced myocardial tolerance to ischemia and reperfusion with adenosine (Ely et al.), 549
Imidazole-buffered cardioplegic solution: improved myocardial preservation during global ischemia (Vander Woude et al.), 225
Myocardium—Cont'd
Intramyocardial pressure in canine heart: experimental study (Denys et al.), 888
Myocardial energy depletion during profound hypopthermic cardioplegia for cardiac operations (Kaijser et al.), 896
Myocardial revascularization after failure of percutaneous transluminal coronary angioplasty (Pelletier et al.), 265
Myocardial revascularization with combined aortic and mitral valve replacements (Akins et al.), 272
Oral verapamil for prophylaxis of supraventricular tachycardia after myocardial revascularization: randomized trial (Williams et al.), 592
Phrenic nerve paresis associated with myocardial protection jacket (Bonchek), 795 (letter); Reply (Rousou), 796
Prevention of free radical–induced myocardial reperfusion injury with allopurinol (Stewart et al.), 68
Qualitative evaluation of myocardial preservative characteristics of nifedipine during hypothermic myocardial ischemia (Moores et al.), 912
Successful repair of concomitant tear of interventricular septum and right ventricular free wall after acute myocardial infarction (Merin et al.), 145 (brief comm.)

N

Needle biopsy
Transcarinal mediastinal needle biopsy compared with mediastinoscopy (Brynitz et al.), 21
Neoendothelium
Arterial wall regeneration in small-caliber vascular grafts in rats: neoendothelial healing and prostacyclin production (van der Lei et al.), 378
Nerve
Phrenic nerve paresis associated with myocardial protection jacket (Bonchek), 795 (letter); Reply (Rousou), 796
Nifedipine
Qualitative evaluation of myocardial preservative characteristics of nifedipine during hypothermic myocardial ischemia (Moores et al.), 912
Nitroglycerin
Acute methemoglobinemia during cardiopulmonary bypass caused by intravenous nitroglycerin infusion (Robicsek), 931 (brief comm.)
Nonthrombogenic surfaces
The Sangreal (Edmunds), 1 (edit.)

O

Obituary
Frank Gerbode (1907-1984)
Obstruction, outflow tract
Long-term results after excision of fixed subaortic stenosis (Ashraf et al.), 864
Repair of transposition of great arteries with ventricular septal defect and left ventricular outflow tract obstruction (Lecompte and Bex), 151 (letter); Reply (Nikaidoh), 151
Occlusion
Coronary revascularization in patients with bilateral internal carotid occlusions (Gravlee et al.), 921

Oligemia, pulmonary
Combined prostaglandin therapy and ductal formalin infiltration in neonatal pulmonary oligemia (Larson et al.), 907
Outflow tract obstruction
Long-term results after excision of fixed subaortic stenosis (Ashraf et al.), 864
Repair of transposition of great arteries with ventricular septal defect and left ventricular outflow tract obstruction (Lecompte and Bex), 151 (letter); Reply (Nikaidoh), 151
Oxygen free radicals
Prevention of free radical–induced myocardial reperfusion injury with allopurinol (Stewart et al.), 68

P

Pacing, cardiac
Permanent cardiac pacing after Fontan procedure (Taliercio et al.), 414
Papaverine
Papaverine treatment of vein grafts (Catinella and Cunningham), 452 (letter); Reply (Roberts), 453
Paralysis, diaphragmatic
Results of diaphragmatic plication for unilateral diaphragmatic paralysis (Wright et al.), 195
Paresis, phrenic nerve
Phrenic nerve paresis associated with myocardial protection jacket (Bonchek), 795 (letter); Reply (Rousou), 796
Pectoral muscle flaps
Comparison between antibiotic irrigation and mobilization of pectoral muscle flaps in treatment of deep sternal infections (Scully et al.), 523
Pectus excavatum
Noninvasive assessment of exercise cardiac function before and after pectus excavatum repair (Peterson et al.), 251
Percutaneous transluminal coronary angioplasty
Left anterior descending coronary artery–right ventricle fistula complicating percutaneous transluminal angioplasty (Meng and Harlan), 387
Myocardial revascularization after failure of percutaneous transluminal coronary angioplasty (Pelletier et al.), 265
Perfusion
Effects of retrograde perfusion of cardioplegic solution in cardiac operations (Schaper et al.), 882
Pericardial adhesions
Pericardial meshing: effective method for prevention of pericardial adhesions and epicardial reaction after cardiac operations (Milgalter et al.), 281
Pericardial baffle
Management of caval obstruction from pericardial baffles (Murphy), 310 (letter); Reply (Cobanoglu), 310
Pericardial disease
Surgical management of effusive pericardial disease: influence of extent of pericardial resection on clinical course (Piehler et al.), 506
Pericardial valve
Incidence of primary tissue valve failure with Ionescu-Shiley pericardial valve: preliminary results (Gallo et al.), 278
pH
Influence of pH of cardioplegic solutions on intracellular pH, high-energy phosphates, and postarrest performance: protective effects of acidotic, glutamate-containing cardioplegic perfusates (Bernard et al.), 235
Phosphates, high-energy
Influence of pH of cardioplegic solutions on intracellular pH, high-energy phosphates, and postarrest performance: protective effects of acidotic, glutamate-containing cardioplegic perfusates (Bernard et al.), 235
Photodynamic therapy, laser
Preoperative laser photodynamic therapy in combination with operation in lung cancer (Kato et al.), 420
Phrenic nerve
Phrenic nerve paresis associated with myocardial protection jacket (Bonchek), 795 (letter); Reply (Rousou), 796
Pleuroperitoneal shunt
Pleuroperitoneal shunt (Hussain), 795 (letter); Reply (Kron and Rodgers), 795
Plication, diaphragmatic
Results of diaphragmatic plication for unilateral diaphragmatic paralysis (Wright et al.), 195
Pneumonectomy
Treatment of bronchopleural fistula after pneumonectomy (Baldwin and Mark), 813
Polydioxanone suture material
Polydioxanone suture material in growing vascular anastomoses: experimental study (Verschuere et al.), 765
Polytetrafluoroethylene
Externally stented polytetrafluoroethylene valved conduits for right heart reconstruction: experimental comparison with Dacron valved conduits (Brown et al.), 833
Method of treating serous fluid leak from polytetrafluoroethylene Blalock-Taussig shunt (Maitland et al.), 791 (brief comm.)
Porcine bioprostheses
Effect of warfarin on calcification of spontaneously degenerated porcine bioprosthetic valves (Stein et al.), 119
Results of reoperation for primary tissue failure of porcine bioprostheses (Bortolotti et al.), 564
Potassium
Right ventricular dysfunction following cold potassium cardioplegia (Christakis et al.), 243
Preservation, myocardial
Imidazole-buffered cardioplegic solution: improved myocardial preservation during global ischemia (Vander Woude et al.), 225
Qualitative evaluation of myocardial preservative characteristics of nifedipine during hypothermic myocardial ischemia (Moores et al.), 912
Presidential address
Observations on coronary circulation: with tributes to my teachers (Sabiston), 321
Pressure
Intramyocardial pressure in canine heart: experimental study (Denys et al.), 888
Relative influence of arterial pressure versus intraoperative distention on lipid accumulation in primate vein bypass grafts (Boerboom et al.), 756
Prostacyclin
Arterial wall regeneration in small-caliber vascular grafts in rats: neoendothelial healing and prostacyclin production (van der Lei et al.), 378
Somatosensory evoked potentials and cerebral metabolism during cardiopulmonary bypass with special reference to hypotension induced by prostacyclin infusion (Arén et al.), 73
Prostaglandin
Combined prostaglandin therapy and ductal formalin infiltration in neonatal pulmonary oligemia (Larson et al.), 907

Prostaglandin—Cont'd
Modified Blalock-Taussig shunt following long-term administration of prostaglandin E_1 for ductus-dependent neonates with cyanotic congenital heart disease (Yokota et al.), 399
Prosthesis, valve
A 5½ year experience with St. Jude Medical cardiac valve prosthesis: early and late results of 737 valve replacements in 671 patients (Baudet et al.), 137
Early and late risk of mitral valve replacement: 12 year concomitant comparison of porcine bioprosthetic and prosthetic disc mitral valves (Cohn et al.), 872
Packaging of 25 mm synthetic aortic prosthesis as 23 mm valve (Landymore), 310 (letter)
Protamine
Administration of protamine through left atrium (Alaoui), 153 (letter); Reply (Frater), 154
Cardiovascular effects of protamine sulfate (Cavarocchi), 312 (letter); Reply (Fiser), 312
Protamine-induced fatal anaphylaxis: prevalence of antiprotamine immunoglobulin E antibody (Sharath et al.), 86
Protection
Effects of retrograde perfusion of cardioplegic solution in cardiac operations (Schaper et al.), 882
Phrenic nerve paresis associated with myocardial protection jacket (Bonchek), 795 (letter); Reply (Rousou), 796
Pulmonary artery
Bronchial compression by dilated pulmonary artery: surgical treatment (Corno et al.), 706
Bronchoplastic procedures and pulmonary artery reconstruction in treatment of bronchogenic cancer (Belli et al.), 167
Management of congenital stenosis of branch pulmonary artery with balloon dilation angioplasty: report of 52 procedures (Ring et al.), 35
Physiological rationale for bidirectional cavopulmonary shunt: versatile complement to Fontan principle (Hopkins et al.), 391
Pulmonary artery thrombosis associated with anomalous pulmonary venous connection: unusual complication following modified Fontan procedure (Downing et al.), 441 (brief comm.)
Pulmonary oligemia
Combined prostaglandin therapy and ductal formalin infiltration in neonatal pulmonary oligemia (Larson et al.), 907
Pulmonary operation
Concomitant cardiac and pulmonary operations (Piehler et al.), 662
Pulmonary rejection
Isolated pulmonary rejection after combined heart-lung transplantation (McGregor et al.), 623 (brief comm.)
Pulmonary valve
Acute control of pulmonary regurgitation with balloon valve: experimental investigation (Siwek et al.), 404
Improved right ventricular function following late pulmonary valve replacement for residual pulmonary insufficiency or stenosis (Bove et al.), 50
Pulmonary venous connection, anomalous
Cor triatriatum and total anomalous pulmonary venous connection: rare, surgically correctable anomaly (Vouhé et al.) 443 (brief comm.)
Pulmonary artery thrombosis associated with anomalous pulmonary venous connection: unusual complication following modified Fontan procedure (Downing et al.), 441 (brief comm.)
Pulmonary venous drainage, anomalous
Surgical technique for correction of total anomalous pulmonary venous drainage (Vargas and Kreutzer), 410
Pump prime
Effects of four different crystalloid bypass pump-priming fluids upon metabolic response to cardiac operations (McKnight et al.), 97

R

Radionuclide angiography
Noninvasive assessment of exercise cardiac function before and after pectus excavatum repair (Peterson et al.), 251
Reconstruction
Bronchoplastic procedures and pulmonary artery reconstruction in treatment of bronchogenic cancer (Belli et al.), 167
Experiences with Carpentier techniques of mitral valve reconstruction in 103 patients (1980-1985) (Spencer et al.), 341
Experimental reconstruction of trachea with autogenous materials (Papp et al.), 13
Externally stented polytetrafluoroethylene valved conduits for right heart reconstruction: experimental comparison with Dacron valved conduits (Brown et al.), 833
Prognostic evaluation of tracheobronchial reconstruction for bronchogenic carcinoma (Fujimura et al.), 161
Regurgitation
Acute control of pulmonary regurgitation with balloon valve: experimental investigation (Siwek et al.), 404
Improved intraoperative evaluation of mitral valve operations utilizing two-dimensional contrast echocardiography (Mindich et al.), 112
Rejection, pulmonary
Isolated pulmonary rejection after combined heart-lung transplantation (McGregor et al.), 623 (brief comm.)
Renal failure
Bypass grafting in patients with renal failure (Rubio-Alvarez et al.), 309 (letter); Reply (Bolman), 309
Repair
Death and other events after cardiac repair in discordant atrioventricular connection (McGrath et al.), 711
Experimental use of intercostal muscle flaps for repair of induced cardiac defects (Papp et al.), 261
Noninvasive assessment of exercise cardiac function before and after pectus excavatum repair (Peterson et al.), 251
Repair of complex subvalvular aortic aneurysm with valved conduit (Galla et al.), 303 (brief comm.)
Repair of transposition of great arteries with ventricular septal defect and left ventricular outflow tract obstruction (Lecompte and Bex), 151 (letter); Reply (Nikaidoh), 151
Tracheal repair with fibrin glue (Kram et al.), 771
Reperfusion
Adjunctive left ventricular unloading during myocardial reperfusion plays a major role in minimizing myocardial infarct size (Laschinger et al.), 80
Functional and metabolic evidence of enhanced myocardial tolerance to ischemia and reperfusion with adenosine (Ely et al.), 549
Prevention of free radical–induced myocardial reperfusion injury with allopurinol (Stewart et al.), 68
Replacement, valve. *See also* Valve
A 5½ year experience with St. Jude Medical cardiac valve prosthesis: early and late results of 737 valve replacements in 671 patients (Baudet et al.), 137
Comparison of bioprosthetic and mechanical valve replacement for active endocarditis (Sweeney et al.), 676

Replacement, valve—Cont'd
Early and late risk of mitral valve replacement: 12 year concomitant comparison of porcine bioprosthetic and prosthetic disc mitral valves (Cohn et al.), 872
Improved right ventricular function following late pulmonary valve replacement for residual pulmonary insufficiency or stenosis (Bove et al.), 50
Mediastinitis after cardiac valve operations: impact upon survival (Cheung et al.), 517
Myocardial revascularization with combined aortic and mitral valve replacements (Akins et al.), 272
Rest and exercise hemodynamics following aortic valve replacement: comparison between 19 and 21 mm Ionescu-Shiley pericardial and Carpentier-Edwards porcine valves (Bove et al.), 750
Resection
Extended subendocardial resection: surgical approach to ventricular tachyarrhythmias that cannot be mapped intraoperatively (Kron et al.), 586
Primary angiosarcoma of innominate vein: case report with resection and long-term survival (Miller et al.), 148 (brief comm.)
Surgical management of effusive pericardial disease: influence of extent of pericardial resection on clinical course (Piehler et al.), 506
Wedge resection as alternative procedure for peripheral bronchogenic carcinoma in poor-risk patients (Errett et al.), 656
Revascularization. *See also* Bypass, coronary
Coronary revascularization in patients with bilateral internal carotid occlusions (Gravlee et al.), 921
Effects of coronary revascularization on left ventricular function in ischemic heart disease (Rankin et al.), 818
Oral verapamil for prophylaxis of supraventricular tachycardia after myocardial revascularization: randomized trial (Williams et al.), 592
Multiple-vessel coronary revascularization with combined in situ and free sequential internal mammary arteries (Gold et al.), 301 (brief comm.)
Myocardial revascularization after failure of percutaneous transluminal coronary angioplasty (Pelletier et al.), 265
Myocardial revascularization with combined aortic and mitral valve replacements (Akins et al.), 272
Revascularization of ischemic bronchial anastomoses by intercostal pedicle flap (Fell et al.), 172

S

Sangreal
The Sangreal (Edmunds), 1 (edit.)
Septal defect
Further observations on morphology of atrioventricular septal defects (Penkoske et al.), 611
Of clefts, commissures, and things (Anderson et al.), 605
Repair of transposition of great arteries with ventricular septal defect and left ventricular outflow tract obstruction (Lecompte and Bex), 151 (letter); Reply (Nikaidoh), 151
Septum, interventricular
Successful repair of concomitant tear of interventricular septum and right ventricular free wall after acute myocardial infarction (Merin et al.), 145 (brief comm.)
Sequestration, bronchopulmonary
Bronchial carcinoid arising in intralobar bronchopulmonary sequestration with vascular supply from left gastric artery: case report (Juettner et al.), 25
Serous fluid leak
Method of treating serous fluid leak from polytetrafluoroethylene Blalock-Taussig shunt (Maitland et al.), 791 (brief comm.)
Shunt
Adequacy of ascending aorta–descending aorta shunt during cross-clamping of thoracic aorta for prevention of spinal cord injury (Molina et al.), 126
Method of treating serous fluid leak from polytetrafluoroethylene Blalock-Taussig shunt (Maitland et al.), 791 (brief comm.)
Modified Blalock-Taussig shunt following long-term administration of prostaglandin E_1 for ductus-dependent neonates with cyanotic congenital heart disease (Yokota et al.), 399
Physiological rationale for bidirectional cavopulmonary shunt: versatile complement to Fontan principle (Hopkins et al.), 391
Pleuroperitoneal shunt (Hussain), 795 (letter); Reply (Kron and Rodgers), 795
Sleeve, plastic
Use of plastic sleeve to lead stomach through mediastinum (Butz), 632 (letter)
Sling, hemitruncal
Hemitruncal sling: newly recognized anomaly and its surgical correction (Ben-Shachar et al.), 146 (brief comm.)
Small cell carcinoma
Electron microscopy in selection of patients with small cell carcinoma of lung for medical versus surgical therapy (Iglehart et al.), 351
Somatosensory evoked potentials
Somatosensory evoked potentials and cerebral metabolism during cardiopulmonary bypass with special reference to hypotension induced by prostacyclin infusion (Arén et al.), 73
Spinal cord
Adequacy of ascending aorta–descending aorta shunt during cross-clamping of thoracic aorta for prevention of spinal cord injury (Molina et al.), 126
St. Jude Medical valve
A 5½ year experience with St. Jude Medical cardiac valve prosthesis: early and late results of 737 valve replacements in 671 patients (Baudet et al.), 137
Steal, internal mammary
Case of postoperative internal mammary steal (Pelias et al.), 794 (letter)
Stenosis
Improved right ventricular function following late pulmonary valve replacement for residual pulmonary insufficiency or stenosis (Bove et al.), 50
Long-term results after excision of fixed subaortic stenosis (Ashraf et al.), 864
Management of congenital stenosis of branch pulmonary artery with balloon dilation angioplasty: report of 52 procedures (Ring et al.), 35
Palliative tracheal tube stent without tracheotomy in tracheal stenosis (Amemiya et al.), 631 (letter)
Right ventricular dysfunction following cold potassium cardioplegia (Christakis et al.), 243
Staged surgical treatment of early bacterial endocarditis after surgical repair of tetralogy of Fallot and discrete subaortic stenosis: report of case (Smolinsky et al.), 788 (brief comm.)
Stent
Graft detachment, cause of incompetence in stent-mounted aortic valve allografts (Christie et al.), 901
Palliative tracheal tube stent without tracheotomy in tracheal stenosis (Amemiya et al.), 631 (letter)

Sternal infection
Comparison between antibiotic irrigation and mobilization of pectoral muscle flaps in treatment of deep sternal infections (Scully et al.), 523
Stomach
Use of plastic sleeve to lead stomach through mediastinum (Butz), 632 (letter)
Subaortic stenosis
Long-term results after excision of fixed subaortic stenosis (Ashraf et al.), 864
Staged surgical treatment of early bacterial endocarditis after surgical repair of tetralogy of Fallot and discrete subaortic stenosis: report of case (Smolinsky et al.), 788 (brief comm.)
Subclavian flap aortoplasty
Use of internal mammary artery for preservation of circulation to left arm after subclavian flap aortoplasty in correction of coarctation in children (Fournier et al.), 926 (brief comm.)
Subendocardial resection
Extended subendocardial resection: surgical approach to ventricular tachyarrhythmias that cannot be mapped intraoperatively (Kron et al.), 586
Supraventricular tachycardia
Oral verapamil for prophylaxis of supraventricular tachycardia after myocardial revascularization: randomized trial (Williams et al.), 592
Surface cooling
Sympathoadrenal function during cardiac operations in infants with technique of surface cooling, limited cardiopulmonary bypass, and circulatory arrest (Firmin et al.), 729
Suture
Cuspal perforations caused by long suture ends in implanted bioprosthetic valves (Jones et al.), 557
Polydioxanone suture material in growing vascular anastomoses: experimental study (Verschuere et al.), 765
Sympathoadrenal function
Sympathoadrenal function during cardiac operations in infants with technique of surface cooling, limited cardiopulmonary bypass, and circulatory arrest (Firmin et al.), 729
Syndrome
Cryosurgical ablation of left parietal wall accessory atrioventricular connections through coronary sinus without use of extracorporeal circulation (Bredikis and Bredikis), 199
Cryosurgical ablation of right parietal and septal accessory atrioventricular connections without use of extracorporeal circulation: new surgical technique (Bredikis et al.), 206
Experience with 118 consecutive patients undergoing operations for Wolff-Parkinson-White syndrome (Cox et al.), 490

T

Tachyarrhythmias
Definitive operation for refractory cardiac tachyarrhythmias in children (Ott et al.), 681
Extended subendocardial resection: surgical approach to ventricular tachyarrhythmias that cannot be mapped intraoperatively (Kron et al.), 586
Tachycardia
Oral verapamil for prophylaxis of supraventricular tachycardia after myocardial revascularization: randomized trial (Williams et al.), 592
Right ventricular isolation procedures for nonischemic ventricular tachycardia (Cox et al.), 212
Temperature
Effect of body temperature on leukocyte kinetics during cardiopulmonary bypass (Quiroga et al.), 91
Postoperative temperatures and ventricular function (Czer et al.), 632 (letter); Reply (Fremes and Weisel), 633
Tetralogy of Fallot
Ninety consecutive corrective operations for tetralogy of Fallot with or without minimal right ventriculotomy (Kawashima et al.), 856
Staged surgical treatment of early bacterial endocarditis after surgical repair of tetralogy of Fallot and discrete subaortic stenosis: report of case (Smolinsky et al.), 788 (brief comm.)
Thoracic empyema
Modern management of adult thoracic empyema (Lemmer et al.), 849
Thoracic surgery
Hands across the ocean: German-American relations in thoracic surgery (Borst), 477
Thoracostomy, tube
Giant lung abscess treated by tube thoracostomy (Mengoli), 186
Thrombin
Cryoprecipitate–topical thrombin glue: initial experience in patients undergoing cardiac operations (Lupinetti et al.), 502
Thrombosis
Pulmonary artery thrombosis associated with anomalous pulmonary venous connection: unusual complication following modified Fontan procedure (Downing et al.), 441 (brief comm.)
Thymectomy
Anti-acetylcholine receptor antibody titer with extended thymectomy in myasthenia gravis (Kagotani et al.), 7
Thymolipoma
Thymolipoma in association with Hodgkin's disease (Pillai et al.), 306 (brief comm.)
Tissue failure
Results of reoperation for primary tissue failure of porcine bioprostheses (Bortolotti et al.), 564
Tobacco
Tragedy of tobacco (Harken), 794 (letter)
Tomography
Comparative merits of conventional, computed tomographic, and magnetic resonance imaging in assessing mediastinal involvement in surgically confirmed lung carcinoma (Martini et al.), 639
Topical thrombin glue
Cryoprecipitate–topical thrombin glue: initial experience in patients undergoing cardiac operations (Lupinetti et al.), 502
Trachea
Experimental reconstruction of trachea with autogenous materials (Papp et al.), 13
Palliative tracheal tube stent without tracheotomy in tracheal stenosis (Amemiya et al.), 631 (letter)
Prognostic evaluation of tracheobronchial reconstruction for bronchogenic carcinoma (Fujimura et al.), 161
Tracheal repair with fibrin glue (Kram et al.), 771
Tracheotomy
Palliative tracheal tube stent without tracheotomy in tracheal stenosis (Amemiya et al.), 631 (letter)
Transcarinal mediastinal needle biopsy
Transcarinal mediastinal needle biopsy compared with mediastinoscopy (Brynitz et al.), 21
Transplantation, heart-lung
Isolated pulmonary rejection after combined heart-lung transplantation (McGregor et al.), 623 (brief comm.)

Transposition of great arteries
Anatomic correction for complete transposition and double-outlet right ventricle (Kanter et al.), 690
Assessment of coronary and aortic anastomoses after anatomic correction of transposition of great arteries (Arensman et al.), 597
Repair of transposition of great arteries with ventricular septal defect and left ventricular outflow tract obstruction (Lecompte and Bex), 151 (letter); Reply (Nikaidoh), 151
Truncus arteriosus
Truncus arteriosus: surgical approach (Sharma et al.), 45
Tube thoracostomy
Giant lung abscess treated by tube thoracostomy (Mengoli), 186
Tumor
Chest wall tumors: experience with 100 consecutive patients (Pairolero and Arnold), 367
Two-dimensional echocardiography
Improved intraoperative evaluation of mitral valve operations utilizing two-dimensional contrast echocardiography (Mindich et al.), 112
Two-dimensional echocardiography in dogs: variation of left ventricular mass, geometry, volume, and ejection fraction on cardiopulmonary bypass (Haasler et al.), 430

U

Ultrafilter
Comparison of Cell Saver versus ultrafilter during coronary artery bypass operations (Breyer et al.), 736

V

Vascular anastomosis
Polydioxanone suture material in growing vascular anastomoses: experimental study (Verschuere et al.), 765
Vascular disease
Intraoperative color flow mapping by real-time two-dimensional Doppler echocardiography for evaluation of valvular and congenital heart disease and vascular disease (Takamoto et al.), 802
Valve. *See also* specific valve
A 5½ year experience with St. Jude Medical cardiac valve prosthesis: early and late results of 737 valve replacements in 671 patients (Baudet et al.), 137
Acute control of pulmonary regurgitation with balloon valve: experimental investigation (Siwek et al.), 404
Comparison of bioprosthetic and mechanical valve replacement for active endocarditis (Sweeney et al.), 676
Cuspal perforations caused by long suture ends in implanted bioprosthetic valves (Jones et al.), 557
Early and late risk of mitral valve replacement: 12 year concomitant comparison of porcine bioprosthetic and prosthetic disc mitral valves (Cohn et al.), 872
Effect of warfarin on calcification of spontaneously degenerated porcine bioprosthetic valves (Stein et al.), 119
Experiences with Carpentier techniques of mitral valve reconstruction in 103 patients (1980-1985) (Spencer et al.), 431
Externally stented polytetrafluoroethylene valved conduits for right heart reconstruction: experimental comparison with Dacron valved conduits (Brown et al.), 833
Graft detachment, cause of incompetence in stent-mounted aortic valve allografts (Christie et al.), 901
Valve—Cont'd
Improved intraoperative evaluation of mitral valve operations utilizing two-dimensional contrast echocardiography (Mindich et al.), 112
Improved right ventricular function following late pulmonary valve replacement for residual pulmonary insufficiency or stenosis (Bove et al.), 50
Incidence of primary tissue valve failure with Ionescu-Shiley pericardial valve: preliminary results (Gallo et al.), 278
Intraoperative assessment of reconstructed mitral valve (Cohn), 311 (letter)
Intraoperative color flow mapping by real-time two-dimensional Doppler echocardiography for evaluation of valvular and congenital heart disease and vascular disease (Takamoto et al.), 802
Long-term comparative analysis of Björk-Shiley and Hancock valves implanted in 1975 (Martinell et al.), 741
Mediastinitis after cardiac valve operations: impact upon survival (Cheung et al.), 517
Myocardial revascularization with combined aortic and mitral valve replacements (Akins et al.), 272
Of clefts, commissures, and things (Anderson et al.), 605
Packaging of 25 mm synthetic aortic prosthesis as 23 mm valve (Landymore), 310 (letter)
Repair of complex subvalvular aortic aneurysm with valved conduit (Galla et al.), 303 (brief comm.)
Rest and exercise hemodynamics following aortic valve replacement: comparison between 19 and 21 mm Ionescu-Shiley pericardial and Carpentier-Edwards porcine valves (Bove et al.), 750
Results of reoperation for primary tissue failure of porcine bioprostheses (Bortolotti et al.), 564
Surgical treatment of double-orifice mitral valve in atrioventricular canal defects: experience in 25 patients (Lee et al.), 700
Vein
Cor triatriatum and total anomalous pulmonary venous connection: rare, surgically correctable anomaly (Vouhé et al.), 443 (brief comm.)
Papaverine treatment of vein grafts (Catinella and Cunningham), 452 (letter); Reply (Roberts), 453
Primary angiosarcoma of innominate vein: case report with resection and long-term survival (Miller et al.), 148 (brief comm.)
Pulmonary artery thrombosis associated with anomalous pulmonary venous connection: unusual complication following modified Fontan procedure (Downing et al.), 441 (brief comm.)
Relative influence of arterial pressure versus intraoperative distention on lipid accumulation in primate vein bypass grafts (Boerboom et al.), 756
Surgical technique for correction of total anomalous pulmonary venous drainage (Vargas and Kreutzer), 410
Vena cava, superior
Physiological rationale for bidirectional cavopulmonary shunt: versatile complement to Fontan principle (Hopkins et al.), 391
Venous. *See* Vein
Ventilation
Effect of ventilation on systemic blood gases in presence of left ventricular ejection during cardiopulmonary bypass (Moore et al.), 287
Ventricle
Adjunctive left ventricular unloading during myocardial reperfusion plays a major role in minimizing myocardial infarct size (Laschinger et al.), 80

Ventricle—Cont'd
Anatomic correction for complete transposition and double-outlet right ventricle (Kanter et al.), 690
Effects of coronary revascularization on left ventricular function in ischemic heart disease (Rankin et al.), 818
Effect of intra-aortic balloon pump on right ventricular function (Norman), 152 (letter); Reply (O'Neill), 152
Effect of ventilation on systemic blood gases in presence of left ventricular ejection during cardiopulmonary bypass (Moore et al.), 287
Experimental acute right ventricular failure and right ventricular assist in dog (Cabrera Fischer et al.), 580
Extended subendocardial resection: surgical approach to ventricular tachyarrhythmias that cannot be mapped intraoperatively (Kron et al.), 586
Improved right ventricular function following late pulmonary valve replacement for residual pulmonary insufficiency or stenosis (Bove et al.), 50
Left anterior descending coronary artery—right ventricle fistula complicating percutaneous transluminal angioplasty (Meng and Harlan), 387
Pathophysiology of chronic cyanosis in canine model: functional and metabolic response to global ischemia (Lupinetti et al.), 291
Postoperative temperatures and ventricular function (Czer et al.), 632 (letter); Reply (Fremes and Weisel), 633
Repair of transposition of great arteries with ventricular septal defect and left ventricular outflow tract obstruction (Lecompte and Bex), 151 (letter); Reply (Nikaidoh), 151
Right ventricular dysfunction following cold potassium cardioplegia (Christakis et al.), 243
Right ventricular isolation procedures for nonischemic ventricular tachycardia (Cox et al.), 212
Successful repair of concomitant tear of interventricular septum and right ventricular free wall after acute myocardial infarction (Merin et al.), 145 (brief comm.)
Surgical management of double-outlet right ventricle (Mazzucco et al.), 29
Two-dimensional echocardiography in dogs: variation of left ventricular mass, geometry, volume, and ejection fraction on cardiopulmonary bypass (Haasler et al.), 430

Ventricular. *See* Ventricle

Ventriculotomy
Ninety consecutive corrective operations for tetralogy of Fallot with or without minimal right ventriculotomy (Kawashima et al.), 856

Verapamil
Oral verapamil for prophylaxis of supraventricular tachycardia after myocardial revascularization: randomized trial (Williams et al.), 592

W

Wall, arterial
Arterial wall regeneration in small-caliber vascular grafts in rats: neoendothelial healing and prostacyclin production (van der Lei et al.), 378

Wall, chest
Chest wall tumors: experience with 100 consecutive patients (Pairolero and Arnold), 367

Warfarin
Effect of warfarin on calcification of spontaneously degenerated porcine bioprosthetic valves (Stein et al.), 119

Wedge resection
Wedge resection as alternative procedure for peripheral bronchogenic carcinoma in poor-risk patients (Errett et al.), 656

Western Thoracic Surgical Association
Announcement of 1986 Annual Meeting, 159, 319, 475, 637, 799, 939

Wolff-Parkinson-White syndrome
Cryosurgical ablation of left parietal wall accessory atrioventricular connections through coronary sinus without use of extracorporeal circulation (Bredikis and Bredikis), 199
Cryosurgical ablation of right parietal and septal accessory atrioventricular connections without use of extracorporeal circulation: new surgical technique (Bredikis et al.), 206
Experience with 118 consecutive patients undergoing operation for Wolff-Parkinson-White syndrome (Cox et al.), 490